

**2009**  
NEW PRODUCTS

**SECURITY**  
CCTV SECURITY PRODUCTS



## **NEW PRODUCT LINE**

*Elite Professional Super DNR  
(Super Digital Noise Reduction)  
Cameras High Definition CCD Boards  
**Made in Japan***

**Vol.23**

CERTIFICATION BY



CE LVD RTTE UL SP C-TICK



# CONTENTS

## High Definition SDNR Cameras

Professional Grade IR SDNR Bullet Cameras 4~5

Professional Long Range IR Specialized Cameras 6

## Outdoor Heater Blower IR Cameras 7

## Bullet Cameras

Bazooka IR CCD Cameras 8

Outdoor Professional Bullet IR Cameras 9,12

High Resolution Mini Housing Color Cameras 10

Long Range Full Remote Control Cameras 11

## Dome Cameras

Wall Ceiling Vandal Proof Snail IR Cameras 13~14

Vandal Proof Dome Cameras 15

NEW Products Rugged Dome Cameras 16~17

Dome Cameras 18~19

## Professional Cameras

New Products Professional Cameras 20

Finger (Bullet) & PC Board Cameras 21

Professional Cameras 22~27

Indoor/Outdoor Mini Bullet Cameras 28~29

## Advanced CCTV Lenses 30~31

## New Products DVR & SPY Cameras

World Small DVR & Camera 32

2.4Ghz Wireless Transmitter Camera 33

& Receiver DVR 33

Digital Capture Device 34

Covert PIR DVR & Speaker DVR 35

## Covert & Snake Cameras

Wide Angle Door Camera or Car Trunk Camera 36

Snake CAM 37

Covert Cameras 38

## Capture / Freeze Cameras 39

## High Speed Dome Cameras

Mini Indoor High Speed Dome Cameras 40

Mini Vandal Proof High Speed Dome Cameras 41

Speed Dome Cameras 42

High Speed Dome System 43,45

Pressure High Speed Dome Cameras 44

High Speed PTZ 46

High Speed Dome Cameras 47

## High Speed Domes Accessories

High Speed Domes Installation Accessories 48

Controller & Turning Devices 49

## 19" Rack Mount Series 50~51

## Digital Video Recorder

Linux-Based MPEG 4 DVR 52

Real-Time DVR Digital Video Recorder 53

Standalone DVR Digital Video Recorder 54~55

## Accessories

Twisted Pair 56

Surge Protection & Ground Loop Isolator 57

Connectors 58

TFT LCD Rack Mount CCTV Monitors 59

Power Supply & Battery Packs & Quads 60~61

Housing 62

Brackets 63

Audio Cable & Accessories 64

Cable And Extensions 65

Bazooka Remote Control CCD Cameras 66

High Visibility Strobe Light Cameras 67

Professional Long Range IR Specialized Cameras 68

# INDEX

<b>12 Series</b>	BB13L(A) 21	CD35VADW-SL 18	CM25H-SH50 28	F-TWIST 58	MC06TV 59	<b>SMOKED Series</b>
12V PK 4.5A 60	<b>BC Series</b>	CD35-VPW 17	CM25H-W 21	<b>FS Series</b>	MC07 59	SMOKED-COVER 48
12V1000MA 60	BC CAM 38	CD35-VPW-SL 17	CM25H-W 29	FS35 32	MC07FM 59	<b>SP Series</b>
12V1100MARS 60	BC25P 21	CD360HVA-EX 18	CM25IR 10	<b>G Series</b>	MC08 59	SP01 57
12V1250MARS 60	BC25S 21	CD360HVA-EXSL 16	CM25IRCM 10	GB01 57	MC08R 50	SP03 57
12V1500MARS 60	BC90L 21	CD360HVA-VP 18	CM25SH 29	GL01 57	MC08R-TS 50	SP31 57
12V3500MARS 60	BC91L 21	CD360HVA-VPW 18	CM25SH-25 28	<b>IH Series</b>	MC08RVGA 59	SPAC 57
12V5000MARS 60	BC91P 21	CD360HVA-VPWIR 14	CM25SH-G 29	IH50 7	MC08RVGA-TS 50	SPDC 57
12V500MA 60	BCM26P 21	CD360VA-SL 16	CM25W-1.7 28	<b>IL Series</b>	MC08RVGA-TS 59	SPDVR 35
12V500MAR 60	<b>BNC Series</b>	CD39IR-VP 14	CM25W-2.5 28	IL95 62	MC14AU 59	SP-RS485 57
12V500MARS 60	BNCBNC3 58	CD39IR-VPEX 14	CM25W-2.5-9 29	<b>L0 Series</b>	MC15A 59	<b>STR Series</b>
12VPK2.0A 60	BNC-BNC-FF 58	CD41-VPW 15	CM25W-4-9 29	L060FIR 30	MC17R 50	STR25 67
<b>24 Series</b>	BNC-CRIMP 58	CD45AIR-35 13	CM25WNVB-SH20 12	L017S 30	MC17R 59	<b>TB Series</b>
2400CM25 33	BNC-CRIMP-2 58	CD45AIR-35W 13	CM26CM 21	L020D 31	MC17R-TS 50	TB01 61
2400CTC 33	BNC-RCA 58	CD45AIR-SH35 13	CM35AIR 12	L025F 30	MC17R-TS 59	<b>TP Series</b>
2400PDR 33	BNC-RCA-1 58	CD45EX-VPW 19	CM35EN 37	L025S 30	MC20SL 59	TPVGA01 57
2400TX 33	BNC-RCA-MM 58	CD45IR-25 13	CM35IR 12	L02812ZD 31	MC21AU 59	<b>TV Series</b>
24VAC-20VA 60	BNC-TWIST 58	CD45IR-SH26 16	CM35IR-48 12	L028M 31	MC3.5H-BP 59	TV04SE 64
24VAC-40VA 60	<b>BO Series</b>	CD45IR-SH35 13	CM35IR-SH48 12	L036S 30	MC35RK-4 50	TV06S 64
28VAC60VA 60	BOMC 63	CD45VAWD 16	CM45HVAW 9	L037BU 30	<b>MIRROR Series</b>	TV08SE 64
<b>42 Series</b>	BOMW 63	CD48IR-VP 13	CM45HVAW 26	L037P 30	MIRROR-COVER 48	TV10 64
42U 51	<b>BSD Series</b>	CD50 19	CM60RC 66	L037PF 30	<b>MP Series</b>	TV108D 64
<b>AC Series</b>	BSD-CM1/3 48	CD50VP 19	CMR35-SL 17	L040D 31	MP41 61	<b>USB Series</b>
AC24H 61	BSD-CM3 48	CD51W 43	CM55P-12V 37	L040F 30	MPEG4 32CH 53	USBDVR04 52
AC24H-1.2A 61	BSD-CM6 48	CD52NV-NW 44	CMS55P-5V 37	L040M 31	<b>MS Series</b>	USBDVR04SP 35
<b>AD Series</b>	BSD-CM-L 48	CD52W 42	<b>CPT Series</b>	L040PP 30	MS200 67	<b>VA Series</b>
AD01 64	BSD-corner 48	CD54W 43	CPT 39	L043S 30	<b>NC Series</b>	VA01A 57
ADUSB20 64	BSD-corner-W 48	CD55 45	CPTCM 39	L043SCR 30	NC48IR 55	VA04 49
<b>AH Series</b>	BSD-EM 48	CD55-H 45	CPTCV 39	L05100ZD 31	<b>NV Series</b>	VA04 56
AH21 62	BSD-PM 48	CD55-NV 45	CPT-E 39	L0550M 31	NV3000 53	<b>VD Series</b>
AH21-HB-24V 62	BSD-RM 48	CD55NV-PD 44	CPTZ-1 42	L0550ZDE 31	NV5000 53	VD102 57
AH25 62	BSD-RM 63	CD56NV-IR 46	<b>CS Series</b>	L055P 30	NV7000 53	VD12 56
AH25-H-24V 62	<b>BTR Series</b>	CD57NV-IR 46	CS01 37	L060D 31	<b>PDR Series</b>	VD14 56
AH25-HB-24V 62	BTR35 32	CD5VPW-24V 19	CS25PA 37	L060F 30	PDR100M 34	VD16 56
AH25S 62	<b>CB Series</b>	CD60 19	CS35W 27	L060M 31	PDR200 49	<b>VM Series</b>
AH26 62	CB01 26	CD60VP 19	CS36F 27	L060S 30	PDR25M 32	VMP046 63
AH26-HB-24V 62	CB22 26	CD65HZD 40	CS55P 37	L0615M 31	PDR25M 34	<b>W Series</b>
AH75SW 62	CB24 23	CD65HZD-H 40	<b>CW Series</b>	L0615ZD 31	PDR50M-5V 34	W001A 65
AH75WP 47	CB25 26	CD65HZD-HW 41	CW25/M 26	L0636M 31	<b>PF Series</b>	W001A-150 65
AH75WP 62	CB25NVIR 22	CD65HZD-VP 41	<b>CZ Series</b>	L0660M 31	PF25 38	W001ABNC 65
AHWP 62	CB32 26	CD90-W 43	CZ100IRRC 11	L0660ZD 31	<b>PH Series</b>	W002 65
<b>APC Series</b>	CB35 26	CDIP 55	CZ1010RC 11	L080D 31	PH35 36	W003A 65
APC-BE500R 64	CB35D 24	CDPT-2 42	CZ16IRRC 8	L080F 30	<b>PIR Series</b>	W01AVP 56
<b>AS Series</b>	CB35NV 26	<b>CG Series</b>	CZ20 23	L080M 31	PIR-DVR 35	W100V 57
AS10 49	<b>CC Series</b>	CG16 27	CZ22IRRC 8	L080S 30	<b>PN Series</b>	W100VC 57
AS10M 49	CC24ANV 24	CG16BU 21	CZ22RC 26	<b>L1 Series</b>	PN35 32	W100VP 57
AS10MRF 49	CC25NV-B 25	CG16BU-5V 32	CZ45RC 11	L120D 31	<b>PS Series</b>	W100VT 57
AS20 49	CC25NVD 25	CG30 27	CZ60IRRC 26	L120F 30	PS09DC 61	W102 56
AS20W 49	CC25NVD-B 25	CG30A 27	CZ65 26	L120S 30	PS18AC 61	W103 56
<b>ASH Series</b>	CC25NVD-SL 23	CG31 27	CZ95 11	L160D 31	PS18AC-200VA 61	W104V 56
ASH56NV-IR 46	CC26NVD 25	CG31A 27	<b>DANCING Series</b>	L160F 30	PS18DC 61	W116R 56
ASH65NV 47	CC26NVD-L 22	CG35 27	DANCING STAND 64	<b>L2 Series</b>	PS18DC10A 61	W414V 57
ASH85WP 47	CC32-B 26	CG35A 27	<b>DC Series</b>	L250S 30	<b>QC Series</b>	W414VP 57
<b>AU Series</b>	CC35ED 23	CG35H 27	DCCORD 65	<b>L3 Series</b>	QC41-D 61	W600VT 56
AU20 49	CC35ED-IR 23	CG35-SL 27	DCCORDCRIMP 65	L3080ZD 31	QC-41-F 61	W604V 56
AU30 49	CC35NVD 24	CG36 27	DC-DC 58	L3508M 31	QC43-E 61	<b>WB Series</b>
AU40B 48	CC35NVD-OSD 22	CG36A 27	DC-DC-FF 58	<b>L4 Series</b>	<b>RC Series</b>	WBNC4-3/6 65
AU40E 48	CC35NVD-SL 20	<b>CH Series</b>	DCEXT-33/100 65	L4090SM 30	RC15 36	<b>WDC Series</b>
AU40M 48	CC36ICR 20	CH21C-E 38	DCEXTSM 65	L4090SZD 31	RC25 36	WDC 65
AU40Z 48	CC36NVD 24	CH25VAIR-24V 7	DCJ-PP 65	<b>L5 Series</b>	RC35 36	<b>WRG Series</b>
AU50 49	CC36NVD-SL 20	CH26VAIR-12V 7	DCPJ 65	L500S 30	RCA-F 58	WRG59 65
<b>B Series</b>	CC45NVD-SL 22	CH35IR 10	DCPLUG 65	L5000M 66	RCA-RCA-90 58	WRG59DC 65
B002L 63	CC45WD 20	CH35IRCM 10	<b>DR Series</b>	<b>LA Series</b>	RCA-RCA-F 58	WRG59DC485 65
B004 63	<b>CD Series</b>	CH55VAIR-HSL 7	DR004PRO 53	LA05 64	RCA-RCA-M 58	<b>WS Series</b>
B006 63	CD02B 19	CHZ45IR-24V 7	DR3004F 53	LA06 64	RCA-ST 65	WS01 55
B006S 63	CD129H-SL 6	<b>CL Series</b>	DR3016F 53	LA07 64	<b>RK Series</b>	WSD120 48
B007 63	CD15PS 27	CL35 32	DR5016F 53	<b>LB Series</b>	RK16AC-200VA 51	
B008-J 63	CD15-VPW 15	CLP16IR-SL 4	<b>DVR Series</b>	LB1000 27	RK16DC-10A 51	
B009 63	CD15W 27	CLR16IR-SL 6	DVR ECO Series 52	<b>LC Series</b>	RK42 51	
B009-T 63	CD20 19	CLR36IRWEX 6	DVR04USB-E 55	LC001 30	RK42-B 50	
B01 63	CD30 19	CLR36VAIR-HSL 4	DVR16CD-LAN 54	LC002 30	RK42-C 50	
B010 63	CD31-VPW 17	<b>CM Series</b>	DVRC264-USB 52	LC15 31	RKAC7 51	
B011 63	CD35 19	CM120HL 8	DVRH264-USB 54	<b>LH Series</b>	RKMC08 50	
B02 63	CD358D-IPVP 55	CM1-IR 38	DVRMPEG4-16LAN 54	LH01 30	RKSH-K 50	
B040 63	CD358D-SL 15	CM1-VP 17	DVRMPEG4-4LAN 54	LH02 30	RKSH-MK 50	
B041 63	CD358D-VP 15	CM200 66	DVRMPEG4-9LAN 54	<b>LZ Series</b>	<b>RS Series</b>	
B041L 63	CD35A 16	CM20-G 21	DVR-PRO Series 52	LZ0610MV 31	RS232-485 48	
B075 62	CD35H 19	CM259EZ 9	DVRS04A-N 54	LZ10200MV 31	RS232-485E 64	
<b>BA Series</b>	CD35IRVP-23 14	CM259VAIR 8	DVRS04A-USB 54	<b>MB Series</b>	<b>SC Series</b>	
BA07 64	CD35IR-VPW 19	CM259VAIR-EX 9	<b>EXT Series</b>	MB12AU 59	SCPK4 63	
BA08 64	CD35IR-VPW25 13	CM259VAIR-HSL 5	EXT-3 65	MB14AU 59	<b>SDR Series</b>	
BA09 64	CD35VAD 18	CM259VAIR-SDS 9	<b>F Series</b>	<b>MC Series</b>	SDR35 32	
BA10 64	CD35VAD-SL 18	CM259VAIR-SL 5	F-BNC 58	MC056S 59	<b>SG Series</b>	
<b>BB Series</b>	CD35VADW 18	CM25H 29	F-RCA 58		SG35 32	



# Professional Grade IR SDNR Bullet Cameras

## CLP16IR-SL

## High Resolution License Plate Camera

- 1/3" **SONY** CCD 560TVL 0.001LUX
- High Resolution License Plate Camera
- Weatherproof
- 16X Optical Zoom
- 6~96mm Motorized Lens
- 35 High Power Intensity LED
- DC12V 1.2A

16X Optical Zoom

6-96mm IR Lens

**560 TVL**

*New*



Zoom / Focus / Iris  
Remote Control

\* Brackets not included



## CLR36VAIR-HSL

## Super DNR Digital Noise Reduction

- **SONY** 1/3" **CCD** High Resolution
- IR CUT Filter Removable (ICR)
- Built-in 9-22mm IR Lens
- 560 TV line (Enhanced 620 TV line)
- 0.001 Lux, Slow Shutter (SenseUP 32X)
- Electrical IRIS/Auto IRIS DC Drive
- Super Digital Noise Reduction (**SDNR**)
- 12 High Intensity LED's
- IP66 Weather Proof Housing
- Non Polarity Power Input
- Dual Power input DC12V/AC24V

9-22mm Auto Iris IR Lens

**560 TVL**


*New*



**20~200 FEET**



Easily Adjustable



Cable Concealment  
thru Bracket



With SDNR




Without SDNR



Star Light Technology



other brand





# Professional Grade IR SDNR Bullet Cameras



## CM259VAIR-SL

- **SONY** 1/3" **CCD** High Resolution
- Built-in 2.5-9mm IR Lens
- **520 TV line** (Enhanced 580 TV line)
- **0.001 Lux**, Slow Shutter (SenseUP 32X)
- Super Digital Noise Reduction (**SDNR**)
- 36 High Intensity LED's
- **IP66 Weather Proof Housing**
- **Non Polarity Power Input**
- **Dual Power: AC24V & DC12V 550mA**

## Super DNR Digital Noise Reduction

2.5-9mm Auto Iris IR Lens

520 TVL



With SDNR



Without SDNR



Star Light Technology



other brand



## CDI29H-SL

## Super DNR Digital Noise Reduction

### OUTDOOR/INDOOR Vandal Proof Eye Ball Camera

- 1/3 CCD 560 TVL High Resolution 0 LUX (IR ON)
- High Impact IP66 Casing
- Water Resistant
- Wall/Ceiling Mountable
- Easily Adjustable Focus/Zoom
- 2.5-9mm Varifocal Auto Iris Lens
- 36 High Intensity LEDs
- **DC12V / 450mA**

560 TVL



Dual Glass Technology



Cable Concealment thru Bracket




With SDNR



Without SDNR



Star Light Technology



other brand

Easily Adjustable Focus



Easily Adjustable Zoom



# Professional Long Range IR Specialized Camera

## CLR16IR-SL

## Super DNR Digital Noise Reduction

- 1/3" **SONY** CCD 560TVL 0.001LUX
- High Resolution
- Weatherproof
- 16X Optical Zoom
- 6~96mm Motorized Lens
- 116 High Power Intensity LED
- DC12V 1.2A

16X Optical Zoom 6-96mm IR Lens

**560TVL**

**20~400 FEET**



other brand



Star Light Technology




**New**

\* Brackets not included



Zoom / Focus / Iris  
Remote Control



## CLR36IRWEX

- 1/3" **SONY** CCD 560TVL 0LUX (IR ON)
- **Heater Blower** Outdoor Camera w/ Housing
- 324 High Intensity LED's
- **Day & Night (ICR) IR Cut**
- 3.4~122.4mm Auto Focus
- RS-485: Pelco D 9600 bps Compatible
- DC 12V 800mA

## Ex-View Wide Dynamic

36X Optical Zoom Auto Focus  
SONY Module Made in Japan



**New**

**20~400 FEET**



With SDNR




Without SDNR



\* Brackets not included



Zoom / Focus / Iris  
Remote Control






# Outdoor Heater Blower IR Camera

## CH26VAIR-12V 6-15mm Varifocal Auto Iris CH25VAIR-24V AC24V

- 1/3" **SONY** CCD 470TVL 0LUX
- Heater Blower Outdoor Camera w/ Housing
- 84 High Intensity LED's
- 6-15mm Varifocal Auto Iris
- **DC 12V** 800mA



**Dual Glass Technology**



**30~180 FEET**



\* Brackets not included

## CHZ45IR-24V 22X Auto Focus

- **SONY** CCD 520TVL 0LUX
- Heater Blower Outdoor Camera w/ Housing
- 84 High Intensity LED's
- **22X Optical Zoom** Auto Focus Day & Night
- OSD Setup
- Wireless Remote control
- Built in RS485 Compatible **PELCO-D**
- **AC 24V** 800mA



**Dual Glass Technology**



**20~170 FEET**



\* Brackets not included

## CH55VAIR-HSL Super DNR Digital Noise Reduction

- **SONY** 1/3" **CCD** High Resolution
- Built-in 5-100mm IR Lens
- **560 TV line** (Enhanced 580 TV line)
- **0.001 Lux**, Slow Shutter (SenseUP 32X)
- Super Digital Noise Reduction (**SDNR**)
- 60 High Intensity LED's
- IP66 Weatherproof Housing
- **DC12V** 800mA


**New**



**20~200 FEET**



**5-100mm Auto Iris IR Lens**




\* Brackets not included

## CH27XRC 27X Optic Zoom Auto Focus

- **SONY** CCD 480TVL 0LUX with IR on
- Heater Blower Outdoor Camera w/ Housing
- 84 High Intensity LED's
- **27X Optical Zoom** Auto Focus Day & Night
- OSD Setup
- Wireless Remote control
- Built in RS485 Compatible **PELCO-D**
- **AC 12V** 800mA



**ECONOMICAL!**



\* Brackets not included

**IH52 Optional**



**264 IR Leds 300 Feet**

# Bazooka IR CCD Camera

## CM120HL


### HIGH INTENSITY 120 IR LEDS COLOR CAMERA

- 1/3 CCD High Resolution 480 TVL 0 LUX
- Weatherproof
- 6mm Lens(3.6/8/12/25mm Lens Optional)
- DC12V 1000mA

**Dual Glass Technology**



**30~200 FEET**



\* Brackets not included

## CM259VAIR

**2.5-9mm Auto Iris**



### SUPER WIDE ANGLE 105 IR LEDS

- 1/3 CCD High Resolution 480 TVL 0 LUX
- Weatherproof
- Easily Adjustable 2.5~9mm Auto Iris
- DC12V 1000mA

**20~180 FEET**



**Dual Glass Technology**



\* Brackets not included

## CZ22IRRC

**22X Auto Focus**

- SONY CCD 480TVL 0LUX
- 84 High Intensity LED's
- 22X Optical Zoom Auto Focus Day & Night
- 3.9-85.8mm Motorized Zoom Lens
- Wireless Remote control
- Built in RS485 Compatible **PELCO-D**
- DC 12V 800mA

**20~170 FEET**

**Dual Glass Technology**



\* Brackets not included

## CZ16IRRC

**Remote Control (Zoom / Focus / Iris)**

### 16X Zoom 84 IR LEDS COLOR CAMERA

- 1/3 CCD High Resolution 480 TVL 0 LUX
- Weatherproof
- 16X Optical Zoom
- 6~96mm Motorized Lens
- 84 Infrared LED
- DC12V 800mA

**Dual Glass Technology**



\* Brackets not included

**20~170 FEET**




# Professional Bullet IR Cameras

## CM259VAIR-S CM259VAIR-SDS

Dual Power DC12V/AC24V

2.5~9mm Auto Iris Easily Adjustable Bullet IR Camera


- **SONY** 1/3" CCD High Resolution 480 TVL 0 LUX
- IP66 Weather Proof Housing
- 36 High Intensity IR LED's
- Easily Adjustable 2.5~9mm Auto Iris Lens
- Bracket Included
- DC12V



Super HAD CCD

20~80 FEET

Dual Glass Technology




## CM259VAIR-EX CM259VAIR-SL

*Ex-View* (SDNR)

Easily Adjustable 2.5~9mm Auto Iris Bullet IR Camera

- **SONY** 1/3" CCD High Resolution 520 TVL 0 LUX
- IP66 Weather Proof Housing
- 36 High Intensity IR LED's
- 2.5~9mm Auto Iris Lens
- Bracket Included
- DC12V 800mA



20~80 FEET

Dual Glass Technology



## CM259EZ

*Day & Night True Color Easy Focus Color Camera*



Easily Adjustable 2.5~9mm Auto Iris Bullet IR Camera

- **SONY** 1/3" CCD High Resolution 560 TVL 0 LUX
- Weather Proof Housing
- 36 High Intensity IR LED's
- Varifocal Auto Iris 2.5~9mm
- Easily Adjustable Focus/Zoom
- DC12V 800mA

560 TVL



Dual Glass Technology



Use Special Tool Kit to Adjust Focus & Zoom



Use the Plug to Seal the Hole After Adjustment



With SDNR



Without SDNR

# High Resolution Mini Housing Color Camera

## CM25IRCM

### High Resolution Mini Bullet Color Camera

- Mini High Resolution Bullet Color CMOS Camera
- 10 High Intensity LED's
- Indoor/Outdoor Weather Proof Housing
- 6mm Lens Perfect for DVR
- DC12V 150mA

New



Dual Glass Technology



## CM25IR

### High Resolution Mini Bullet Color Camera

- SONY 1/3" CCD 480 TVL
- Mini High Resolution Bullet Color Camera
- 10 High Intensity LED's
- Indoor/Outdoor Weather Proof Housing
- 3.6mm Lens Perfect for DVR
- DC12V 150mA

New



Dual Glass Technology



## CH35IR


## CH35IRCM (CMOS)

- SONY 1/3" CCD 480 TVL
- High Resolution Mini Housing Color Camera
- 30 High Intensity LED's
- Indoor/Outdoor Weather Proof Housing
- 3.6mm Lens Perfect for DVR
- DC12V 350mA



New

Dual Glass Technology




## CM1-IR

### Perfect for Elevators

#### Corner Mount Camera w/ IR

- 40 feet Infrared
- 420TVL 0 LUX
- Wide Angle 2.5mm Lens
- DC12V / 150mA





# Long Range Full Remote Control IR Camera

## CZ45RC

### Ex-View

- **SONY** CCD Color Camera
- 540 TVL High Resolution
- 216X Zoom 3.9mm-85.5mm
- Day & Night
- Remote & Manual Control: OSD / Zoom / Auto Focus
- RS-485: Pelco D Compatible
- DC 12V 500mA




**New**

**SONY Module Made in Japan**

Zoom / Focus / OSD  
Remote Control

**216X Zoom**



## CZ1010RC

**36X Optical Zoom Auto Focus  
SONY Module Made in Japan**

**Wide Dynamic Ex-View Professional Camera**

- **SONY** CCD DSP Color Camera 540 TVL 0.01 Lux High Res.
- Day & Night (ICR) IR Cut Slow Shutter Realize
- Remote & Manual Control: OSD / Zoom / Focus
- RS-485: Pelco P 9600 bps Compatible
- Dual Power: AC 24V / DC 12V 550mA



**New**



**Ex-View Wide Dynamic**

Zoom / Focus / OSD Remote Control



## CZ100IRRC

**35X Optical Zoom  
Super Long Range IR**

**Long Range Super IR 980X Zoom Camera**

- Wide Dynamic **SONY** Ex-View CCD High Resolution 540 TVL.
- Day & Night (ICR) IR Cut Slow Shutter Realize
- Remote & Manual Control: OSD / Zoom / Focus
- RS-485: Pelco D 9600 bps Compatible
- DC 12V 800mA



**Ex-View**

**20~300 FEET**

**New**

Zoom / Focus / OSD  
Remote Control

\* Brackets not included



## CZ95

**WIDE Dynamic Ex-View 980X Digital Zoom Camera**


- **SONY** Ex-View CCD High Resolution
- Day & Night (ICR) IR Cut Slow Shutter Realize
- Remote & Manual Control: OSD / Zoom / Focus
- RS-485: Pelco P 9600 bps Compatible
- Dual Power: AC 24V / DC 12V 550mA

**New**



\* Brackets not included

Zoom / Focus / OSD  
Remote Control



# Professional Bullet IR Cameras

## CM35IR-48

## CM35IR-SH48

### HIGH RESOLUTION 48 LED'S BULLET CAMERA

- **SONY** 1/3 CCD High Resolution Camera
- 480TVL COLOR /600TVL B/W
- 0 Lux W/48IR Leds (w/ IR ON)
- Silver Case Optional
- 3.6mm F1.6 Lens
- 12VDC 450mA



**Dual Glass Technology**

**40-90 FEET**

CM20WNV-SH48

B/W

\* Lens/Bracket Included  
3.6mm or 6mm



## CM25WNVB-S CM25WNVB-SH20

### SONY DSP 23LED'S IR BULLET CAMERA

- 1/4 CCD 420 TVL 0 LUX (w/ IR ON)
- 23 High Intensity IR LED's
- 3.6mm Lens (6mm Optional)
- IP66 Weather Proof Housing
- 12VDC 350mA



CM20WNVB-SH20

B/W

**Dual Glass Technology**

\* Lens/Bracket Included  
3.6mm or 6mm



## CM35IR

### HIGH RES OUTDOOR IR BULLET CAMERA

- 1/3 CCD High Resolution 420 TVL 0 LUX (w/ IR ON)
- 23 High Intensity IR LED's
- 3.6mm Lens Incl'd
- IP66 Weather Proof Housing w/ Bracket
- 12VDC 350mA



**30-70 FEET**

**Dual Glass Technology**


\* Lens/Bracket Included  
3.6mm or 6mm



## CM35AIR **Weather Proof**

### HIGH RES OUTDOOR IR BULLET CAMERA

- 1/3 CCD High Resolution 420 TVL 0 LUX (w/ IR ON)
- 23 High Intensity IR LED's
- 3.6mm Lens Incl'd
- IP66 Weather Proof Housing w/ Bracket
- 12VDC 350mA



**Dual Glass Technology**

**Mic**

**3.6mm Lens w/ Audio**





# Wall Ceiling Vandal Proof Snail IR Cameras


## CD45IR-SH35 CD45AIR-24

### Day & Night IR Color CCD Camera

- Ceiling & Wall Mountable
- 1/3 CCD 420 TVL 0 LUX
- w/Mini 3.6 mm Lens (2.5mm Lens Option)
- 23 High Intensity LEDs
- DC12V / 250mA



## CD45IR-25 (2.5mm Lens)



\* BOCD Bracket optional


## CD45AIR-SH35

### Day & Night IR Color CCD Camera

- Ceiling & Wall Mountable
- 1/3 CCD 420 TVL 0 LUX
- w/Mini 3.6 mm Lens (2.5mm Lens Option)
- 35 High Intensity LEDs
- DC12V / 250mA



## CD45AIR-35 (2.5mm Lens) CD45AIR-35W




\* BOCD Bracket optional

## CD48IR-VP CD48IR-VPS (SILVER)

### OUTDOOR/INDOOR IR VANDAL-PROOF HIGH RES.

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 480 TVL 0 LUX
- w/Mini 3.6 mm Lens (2.5mm Lens Option)
- Silver Case Optional
- 48 High Intensity LEDs
- DC12V / 350mA



\* BOCD Bracket optional

## CD35IR-VPW25 (2.5mm Lens)

### 360° OUTDOOR/INDOOR IR VANDAL-PROOF HIGH RES.

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 480 TVL 0 LUX
- 2.5 mm Wide Angle Lens
- 14 High Intensity LEDs
- DC12V / 250mA



\* BOCD Bracket optional

# Wall Ceiling Vandal Proof Snail IR Cameras

## CD39IR-VPEX

**Ex-View**


### OUTDOOR/INDOOR Vandal Proof Dome Camera

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 520 TVL 0 LUX Super High Res.
- 180° Outdoor High Resolution
- Easily Adjustable IR 2.5-9mm Varifocal
- Japan Auto Iris Lens
- 36 High Intensity LEDs
- DC12V / 450mA



Easily Adjustable  
Focus

Easily Adjustable  
Zoom



## CD360HVA-VPWIR


### SONY 1/3" CCD 540 TVL

### Ex-View Super High RES. Vandal Proof Color Dome Camera

- High Impact IP65 Casing
- 0 LUX w/48 High Intensity LEDs
- Easily Adjustable 4~9mm Auto Iris Lens
- DC12V 600mA



**Ex-View**



## CD39IR-VP

**Dual Glass Technology**

### OUTDOOR/INDOOR Vandal Proof Dome Camera

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 480 TVL 0 LUX Super High Res.
- 180° Outdoor High Resolution
- Easily Adjustable IR 2.5-9mm Varifocal
- Japan Canon Auto Iris Lens
- 36 High Intensity LEDs
- DC12V / 450mA



Easily Adjustable  
Focus


Easily Adjustable  
Zoom



## CD35IRVP-23

### IR CCD COLOR CAMERA W/ 23 LEDs WALL / CEILING MOUNT

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 420 TVL 0.1 LUX
- 6mm Fixed Lens
- 23 High Intensity LEDs
- DC12V / 350mA





# Vandal Proof Dome Cameras

## CD41-VPW

## 360° View Vandal Proof Dome Camera

Panoramic 360° View Vandal Proof Dome Camera

- 4 Panoramic Multi Camera
- 4 **SONY** 1/3" CCD High Resolution 480TVL 0.1Lux
- **Vandal Proof Dome**
- Crystal Clear Images
- 75° Swivel Cam Adjustment for Optimal View
- **Cover 360° Area Surveillance**
- 4 Video & 1 Audio Output
- **DC 12V 600mA**

**4 Wide Angle  
2.5mm Lens Cameras**

**New**

Powered by  
**SONY**  
CCD

VANDAL PROOF  
VANDAL PROOF



Mic



Perfect for DVR View Recording




## CD358D-VP

## CD358D-SL

**180° OUTDOOR VANDAL PROOF  
HIGH RES. VARIFOCAL**

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 480 TVL 0.1 LUX
- 3.5-8mm Auto Iris Lens
- **DC12V / 150mA**



VANDAL PROOF  
VANDAL PROOF



## CD15-VPW


**360° 2.5mm Lens  
Super Wide Angle**

Ultra Mini Vandal Proof Dome Camera

- **SONY** 1/3" CCD 420 TVL 0.1 LUX
- Indoor/Outdoor Weather Resistant
- Wall/Ceiling/Corner Mountable
- **2.5mm Lens**
- Bracket Included
- **DC12V / 150mA**

Powered by  
**SONY**  
CCD

VANDAL PROOF  
VANDAL PROOF



# NEW Products Rugged Dome Cameras

## CD45VAWD

**Wide Dynamic**

**360° Vandal Proof**

**SONY 1/3" CCD 540 TVL**

**Wide Dynamic Super High RES.**

- 2.5~9mm Auto Iris Lens
- DC12V-AC24V

**360°**



With Wide Dynamic



Without Wide Dynamic

## CD35A

**360° Easy Drywall Installation**

- **SONY 1/3" CCD** Mini Color Dome Camera
- 480 TVL .01Lux 3.6mm Lens
- **Easy Drywall Installation Design. 360 degrees** (Optional White Housing)
- DC12V 150mA



MIC



Easy Installation



## CD35AW

**White Housing**



## CD360HVAD-SL

**Super DNR Digital Noise Reduction**

**Digital 360°(3-Axis)Vandal Proof Dome Camera**

- 1/3 **SONY** CCD **HIGH RESOLUTION 520TVL 0.001LUX**
- **Color Image at Night Time SUPER HIGH RESOLUTION**
- Exclusive 2.5-9 mm Auto Iris Lens
- Wall/Ceiling Mountable
- **Non Polarity Power Input**
- Dual Power: AC24V & DC12V 300mA

**4 inches**



## CD360HVAD-EXSL

**Super DNR Digital Noise Reduction**

**Ex-View Digital 360°(3-Axis)Vandal Proof Dome Camera**

- 1/3 **SONY** CCD **HIGH RESOLUTION 560TVL 0.001LUX**
- **Color Image at Night Time SUPER HIGH RESOLUTION**
- Exclusive 2.5-9 mm Auto Iris Lens
- Wall/Ceiling Mountable
- **Non Polarity Power Input**
- Dual Power: AC24V & DC12V 300mA

**6 inches**





# NEW Products Rugged Dome Cameras

## CD35-VPW

## CD31-VPW B/W

**Eye Ball 180° Easy Adjustable Dome Camera**

- 1/3 **SONY** CCD **HIGH RESOLUTION** 480TVL 0.1LUX
- 3.6mm Lens
- Vandal Proof
- Wall Mountable
- DC 12V/200mA



**ECONOMICAL!**



**Easy/Adjustable any Direction**

## CD35-VPW-SL

**Super Wide Angle 2.5mm**

**Eye Ball 180° Easy Adjustable Dome Camera**

- 1/3 **SONY** CCD **HIGH RESOLUTION** 520TVL 0.001LUX
- Super Wide Angle 2.5mm Lens(165° View)
- Super DNR(Super Digital Noise Reduction)
- Wall/Ceiling Mountable
- Weather Proof
- Vandal Proof
- DC 12V/200mA



**Super DNR Digital Noise Reduction**



**Easy/Adjustable any Direction**



## CMR35-SL


**Mirror Covert Dome Camera**

- 1/3 **SONY** CCD **High Resolution**
- 480TVL 0.001LUX
- Wall Ceiling Mountable
- 3.6mm Lens
- DC 12V/200mA

**Super DNR Digital Noise Reduction**



Cable Concealment thru Bracket




## CM1-VP

**Mini Vandal Proof Corner Camera**

**SONY 1/3" CCD Corner Mount Mini Camera**

- 3.7mm Pinhole Lens
- Easy Installation
- NO need to Open Camera
- Front Installation
- DC 12V 150mA

**Perfect for any For Elevator Corners**



# Dome Cameras

## CD35VAD

- 1/3" **SONY** Color CCD
- 3.5~8mm Auto IRIS
- 480 TV Lines, 0.1 Lux
- **Non Polarity Power Input**
- Dual Power: AC24V & DC12V 300mA

## CD35VAD-SL

- Super **DNR** Digital Noise Reduction



## CD35VADW

- 1/3" **SONY** Color CCD
- 3.5~8mm Auto IRIS
- 480 TV Lines, 0.1 Lux
- **Non Polarity Power Input**
- Dual Power: AC24V & DC12V 300mA

## CD35VADW-SL

- Super **DNR** Digital Noise Reduction



## CD360HVA-EX

- 360° VANDAL PROOF**
- SONY 1/3" CCD 540 TVL**
- Ex-View Super High RES.**
- 4~9mm Auto Iris Lens
- **DC12V-AC24V**

**Ex-View**


**360°**




## CD360HVA-VPW CD360HVA-VPW259

- 360° OUTDOOR VANDAL PROOF**
- HIGH RES. AUTO IRIS**

- High Impact IP66 Casing
- Wall/Ceiling Mountable
- 1/3 CCD 480 TVL 0.1 LUX
- 4-9mm Auto Iris Lens
- **DC12V / 150mA**



**optional 2.5-9mm Lens**







# Dome Cameras

## CD35IR-VPW

**IR COLOR CAMERA W/ 23 LEDs  
CEILING MOUNT**

- High Impact IP65 Casing
- Ceiling Mountable
- 1/3 CCD 420 TVL 0.1 LUX
- 6mm Fixed Lens
- 23 High Intensity LEDs
- DC12V / 350mA



## CD5VPW-24V CD5VPW-259


**1/3" SONY Color CCD**  
Vandalproof Dome Camera  
w/Japan Auto Iris Lens 4-9mm  
520 TV Lines, 0.1 Lux  
**AC24V - DC12V**  
**Dual Power**

## CD45EX-VPW

**optional 2.5-9mm Lens**



**Ex-View**



## CD35H

**SONY High Res. Color Dome**  
Camera 1/3" CCD 540 Lines  
**DC 12V 150mA**



## CD35

**Dome Color Camera 1/3 CCD 420TVL**  
**DC 12V 150mA**



## CD30 B/W

## CD60VP

**Vandalproof Dome Housing**



\* Housing Only

## CD02B

**Recessed Drop Ceiling Dome**  
**Housing**



## CD20 CD50 CD60

3.5 Inch. Diameter (CD20)  
4 Inch. Diameter (CD50)  
4.5 Inch. Diameter (CD60)



## CD50VP

**Vandalproof Dome Housing**



\* Housing Only

# New Products Professional Camera

## CC35NVD-SL

- 1/3" **SONY** CCD High Resolution
- 520TVL 0.001LUX
- Super (SDNR) Digital Noise Reduction .
- Day & Night w/Audio.
- Non Polarity Power Input
- Dual Power DC 12V/AC 24V 250mA.




**Super DNR Digital Noise Reduction**



\* Bracket and lens not included on Box Cameras

## CC36NVD-SL

- 1/3" **SONY** CCD High Resolution
- 540TVL 0.001LUX
- Super (SDNR) Digital Noise Reduction .
- Day & Night w/Audio.
- Non Polarity Power Input
- Dual Power DC 12V/AC 24V 250mA.



**Super DNR Digital Noise Reduction**



\* Bracket and lens not included on Box Cameras

## CC36ICR **EX-VIEW/ICR Color Camera**

**SONY EX-VIEW CCD HIGH RES. CAMERA**

- 560 TVL 0.001LUX
- Day & Night (ICR) **IR Cut** Slow Shutter (SenseUP 32X)
- Dual Power DC12V-AC24V 150mA



\* Bracket and lens not included on Box Cameras



Star Light Technology

other brand


## CC45WD **Wide Dynamic Color Camera**

**SONY Wide Dynamic CCD HIGH RES. CAMERA**

- 560 TVL 0.001LUX
- Day & Night Slow Shutter (SenseUP 32X)
- Dual Power DC12V-AC24V 150mA



\* Bracket and lens not included on Box Cameras



With Wide Dynamic

Without Wide Dynamic



# Professional Cameras

## CC45NVD-SL

**Super Digital  
Noise Reduction**


- **SONY** 1/3" **CCD** High Resolution
- **560 TV line** (Enhanced 620 TV line)
- **0.001 Lux**, Slow Shutter (SenseUP 32X)
- Super Digital Noise Reduction (**SDNR**)
- Audio/Video Two Channel Output
- **Non Polarity Power Input**
- **Dual Power Input DC12V/AC24V**

**New**



\* Bracket and lens not included on Box Cameras

Powered by  
**SONY**  
CCD



## CC35NVD-OSD

**New**


- **SONY** 1/3" **CCD** High Resolution
- **520 TV line** (Enhanced 580 TV line)
- **0.01 Low Lux**
- On Screen Display Setup
- Audio/Video Two Channel Output
- **Non Polarity Power Input**
- **Dual Power Input DC12V/AC24V**

Powered by  
**SONY**  
CCD



\* Bracket and lens not included on Box Cameras

**OSD**



## CB25NVIR (w/IR Function)

**480TVL HIGH RES IR SENSITIVE CAMERA**

- **SONY** Full Function 1/3" High Resolution DSP Color CCD
- **480TVL 0.1LUX**
- **DAY AND NIGHT IR SENSITIVE**
- **AGC, AWB, VIDEO/DC DRIVE**
- **DC12V 150mA**

Powered by  
**SONY**  
CCD



\* Bracket and lens not included on Box Cameras



## CC26NVD-SL


**Line Lock**

- **SONY** 1/3" **CCD** High Resolution
- **520 TV line** (Enhanced 620 TV line)
- **0.001 Lux**, Slow Shutter (SenseUP 32X)
- **Mirror Function**
- Super Digital Noise Reduction (**SDNR**)
- Audio/Video Two Channel Output
- **Non Polarity Power Input**
- **Dual Power Input DC12V/AC24V**

Powered by  
**SONY**  
CCD



\* Bracket and lens not included on Box Cameras



# Professional Cameras

## CC35ED

**EX-VIEW CCD ULTRA HIGH RES. CAMERA**

- **SONY CCD/ SONY DSP**
- 520 TVL COLOR / 600TVL B/W 0.1LUX (DAY & NIGHT)
- Full Function AWB, AGC, BLC, LINE LOCK
- Auto Iris DC / Video Drive
- Dual Power
- DC12V-AC24V 200mA

(w/IR Function)



**Ex-View**



\* Bracket and lens not included on Box Cameras

## CC35ED-IR


## CC25NVD-SL

- **SONY 1/3" CCD High Resolution**
- 520 TV line (Enhanced 620 TV line)
- 0.001 Lux, Slow Shutter (SenseUP 32X)
- Mirror Function
- Super Digital Noise Reduction (SDNR)
- Audio/Video Two Channel Output
- Non Polarity Power Input
- Dual Power Input DC12V/AC24V

**Star Light Technology**



**Easily Adjustable Focus**



\* Bracket and lens not included on Box Cameras

## CZ20

**Super HAD CCD**

**HIGH RESOLUTION 20X ZOOM CAMERA**

- **SONY CCD High Resolution 480TVL**
- 20X OPTICAL Zoom Lens 4~80mm
- Remote Control (Zoom / Focus / Iris)
- DC12V 350mA



**20X Optical Zoom**

Zoom / Focus / Iris

Remote Control

\* Bracket and lens not included on Box Cameras

## CB24

**Super HAD CCD**

**ECONOMIC LOW LUX CAMERA**

- **SONY 1/3" CCD Color Low Lux Camera**
- 1/3" CCD 420 TVL 0.1 LUX
- Auto Iris DC / Video Drive
- DC12V 150mA



\* Bracket and lens not included on Box Cameras



# Professional Cameras

**CZ65**

**22X Auto Focus**

- **SONY** 520TVL **HIGH RES.** 0.1LUX
- **22X Optical Zoom** Auto Focus
- Day & Night & OSD Setup
- Built in RS485 Compatible **PELCO-D**
- **AC 12V** 500mA



**CZ22RC**

**22X Auto Focus**

- **1/3"** CCD Day & Night Color Camera
- 480 Line High Resolution
- **22X Optical Auto Focus Zoom**
- 3.9-85.8mm Zoom Lens
- **Wireless Remote Control**
- RS485 Compatible **PELCO-D**
- **DC 12V** 500mA



Zoom / Focus

**CC36NVD**

**Ex-View**

**SONY EX-VIEW CCD HIGH RES. CAMERA**

- 540 TVL 0.1LUX (DAY & NIGHT)
- Full Function AWB, AGC, BLC
- Auto Iris DC / Video Drive
- **Dual Power DC12V-AC24V 150mA**



**Dual Power**



**CC35NVD**

**Super HAD CCD**

**520TVL HIGH RES IR SENSITIVE CAMERA**

- **SONY** Full Function 1/3" High Resolution DSP Color CCD
- 520TVL 0.1LUX
- **DAY AND NIGHT IR SENSITIVE**
- AGC, AWB, VIDEO/DC DRIVE
- **Dual Power DC12V-AC24V 150mA**



**Dual Power**



\* Bracket and lens not included on Box Cameras

\* Bracket and lens not included on Box Cameras

# Professional Cameras

## CC25NVD

**Super HAD CCD**

**480TVL HIGH RES IR SENSITIVE CAMERA**

- **SONY** Full Function 1/3" High Resolution DSP Color CCD
- 480TVL 0.1LUX
- DAY AND NIGHT IR SENSITIVE
- AGC, AWB, VIDEO/DC DRIVE
- **Dual Power DC12V-AC24V 150mA**



**Dual Power**



\* Bracket and lens not included on Box Cameras

## CC25NVD-B 2X Digital zoom

**SONY CCD DAY & NIGHT CAMERA**

- 1/3" DSP CCD 480 TVL 0.1 LUX
- Full Function AWB, AGC, BLC
- Auto Iris DC / Video Drive
- 2X Digital zoom
- Mirror Function
- **Dual Power DC12V-AC24V 150mA**



**Dual Power**

\* Bracket and lens not included on Box Cameras



## CC25NV-B

**Super HAD CCD**

**SONY CCD DAY & NIGHT CAMERA**

- 1/3" DSP CCD 480 TVL 0.1 LUX
- Full Function AWB, AGC, BLC
- Auto Iris DC / Video Drive
- **12VDC 150mA**



\* Bracket and lens not included on Box Cameras

## CC26NVD


**2X Digital zoom**

**480TVL HIGH RES IR SENSITIVE CAMERA**

- **SONY** Full Function 1/3" High Resolution DSP Color CCD
- 480TVL 0.1LUX
- DAY AND NIGHT IR SENSITIVE
- AGC, AWB, VIDEO/DC DRIVE
- 2X Digital zoom
- Mirror Function
- **Dual Power DC12V-AC24V 150mA**



**Dual Power**



\* Bracket and lens not included on Box Cameras



# Professional IR Illuminator & Cameras


## IH50 Long Range Weather Proof Infra Red Illuminator

- IP 66 (Outdoor)
- Weather Proof w/ Sunshield
- Automatic ON/OFF Photocell Sensor
- Infra Red Illuminator 132 LEDs
- Aluminum Case
- DC 12V 800mA

**New**



\* Brackets not included



**45°  
150 FEET**


## IH52 Long Range Weather Proof Infra Red Illuminator

- IP 66 (Outdoor)
- Weather Proof w/ Sunshield
- Automatic ON/OFF Photocell Sensor
- Infra Red Illuminator 132 LEDs
- Aluminum Case
- DC 12V 1500mA

**New**



\* Brackets not included



**45°  
300 FEET**

## CW25/M SuperHAD CCD

Color Camera 1/4" CCD Water Proof  
M=Mirror Function  
DC12V 120mA



## CB01 Dummy Camera

Dummy Camera w/ Working LED 3V



## CB22 SuperHAD CCD

B/W Camera 1/3" CCD 420 Lines  
0.05Lux, Video Auto Iris  
DC12V 120mA



\* Lens not included

## CM45HVAW Auto Iris

1/3" CCD High Resolution 480 L 0.1 LUX  
Auto Iris 4~9mm High Res  
12VDC 150mA  
Bracket Included



**Weather Proof**

## CC32-B SuperHAD CCD

Day/Night High Resolution B/W Cam  
1/3" SONY CCD 600 Lines, 0.05  
Lux, Auto Iris  
12VDC 150mA



\* Lens not included

**High Resolution**

## CB35NV SuperHAD CCD

High Resolution Day & Night  
1/3" SONY 480 Lines 1Lux,  
Video/DC AES AGC BLC  
DC12V 120mA



\* Lens not included

# Mini Cube & Mini Eye Ball Cameras

## CG35-SL

New



- 1/3" **SONY** CCD High Resolution
- 520TVL 0.001LUX
- Super (SDNR) Digital Noise Reduction
- 3.6mm Lens
- Day & Night
- DC 12V 100mA



- Auto Iris Lens Option

## CG36-SL

New



- Ex View **SONY** 1/3" CCD Slow Shutter Mini Color Camera w/ Audio
- 540TVL 0.001LUX
- Super (SDNR) Digital Noise Reduction
- 3.7mm Pinhole Lens
- Day & Night
- DC 12V 15mA



## CG16 22x25 Ultra MINI

Ultra MINI COLOR 1/3 **SONY** CCD  
420 Lines 3.7 mm Pinhole Lens  
DC12V 120mA



3.7mm Lens

## CG30

## CG30A

Ultra Mini B/W Camera 1/3 CCD  
420 Lines 0.1 Lux 3.6 mm Lens  
\*A=built-in Audio  
DC12V 120mA



3.6mm Lens

## CG31

## CG31A

Ultra MINI B/W Camera 1/3 CCD 420  
Lines 0.1 Lux Pinhole 3.7 mm Lens  
\*A=built-in Audio  
DC12V 120mA



3.7mm Lens

## CG35

## CG35A

MINI COLOR 1/4 **SONY** CCD 420  
Lines 1 Lux 3.6mm Lens  
\*A=built-in Audio  
DC12V 120mA



3.6mm Lens

## CG36

## CG36A

MINI COLOR 1/4 CCD 420 Lines 1 Lux  
3.7mm Lens Pinhole  
\*A=built-in Audio  
DC12V 120mA



3.7mm Lens

## CG35H

High Resolution

1/3" **SONY** CCD 480 Lines 3.6mm  
Lens DSP Color High Resolution Mini  
Camera  
DC12V 120mA



3.6mm Lens

## CS35W

Super Wide Angle

**SONY** 1/3" CCD 420 TVL 1 Lux Color  
Super Wide Angle 1.7mm Lens  
Resistant Aluminum Casing  
DC12V 120mA



1.7mm Lens

\* Outdoor Ceiling Mount

## CS35F

Super Narrow Angle

**SONY** 1/3" CCD 420 TVL 1 Lux Color  
Super Narrow Angle 25mm Lens  
Resistant Aluminum Casing  
DC12V 120mA



25mm Lens

## CD15W

Super Wide Angle

**SONY** 1/3" CCD 420 TVL 1 Lux Color  
Super Wide Angle 1.7mm Lens  
Resistant Aluminum Casing  
DC12V 120mA  
Great for Elevators



1.7mm Lens

\* Drop Ceiling Mount

## CD15PS

Pinhole Lens

**SONY** 1/3" CCD 420 TVL 1 Lux Color  
3.7mm Pinhole Lens  
Resistant Aluminum Casing / Miniature  
Casing  
DC12V 120mA  
Discreet Installations



3.7mm Lens




# Finger (Bullet) & PC Board Cameras

## BCM26P

**1/8" DSP Color CDC Board**  
420TVL 3.7mm Pinhole Lens  
1.0Lux **DC3V-5V Low Power**

**New**



## CM20-G Charcoal Color

**Finger Camera B/W 1/3" SONY CCD**  
420 Lines 0.1Lux Waterproof



## CM20

**Finger Camera B/W 1/3" SONY CCD**  
420 Lines 0.1Lux Waterproof



## CM20H

**High Res. 550 Lines**

## CM26CM

**1/3" Color CMOS Bullet Camera + White LED -0 Lux@90ft, IP67**  
12VDC 50mA



**WATER PROOF**

## CG16BU Button Lens

**Ultra MINI COLOR 1/3 SONY CCD**  
420 Lines 3.7 mm Button Lens



Black:DC 12V Input  
Yellow:Video Output  
White:Audio Output

**3.7mm Lens**

## BC25S

## BC25P

**1/4" DSP Panasonic Color CCD Board**  
High Resolution Mini Camera  
DC5~12V Low Power

**3.7mm Lens**



90°

180°

**Actual Size!**

**All Made In Japan**

## BB13L(A) \*A=Audio

**PC Board Camera B/W 1/3 420 Lines 1 Lux 3.6mm F2.0 Lens**  
120V 120mA

**32x32mm**



**3.6mm Lens**

## BC90L

**PC Board Color 1/4 DSP SONY CCD 420 Lines 3.6mm Lens**  
120V 120mA

**32x32mm**



**3.6mm Lens**

## BC91P BC91PP (Pinhole)

**1/3" DSP Color SONY CCD Board 470TVL 3.7mm Pinhole Lens 1.0Lux DC12V Low Power**




**3.7mm Lens**

**22x25mm**

## BC91L BC91PF (Flat)

**1/3" DSP Color SONY CCD Board 470TVL 3.6mm Lens 1.0Lux DC12V Low Power**



**3.6mm Lens**

**22x25mm**

# Indoor/Outdoor Mini Bullet Cameras

## CM25SH-25

### SUNSHIELD BULLET CAMERA

- Indoor/Outdoor Weather Resistant
- 1/3 CCD **High Resolution** 480 TVL 0.1 LUX
- 25mm Lens
- Bracket Included
- **DC12V / 150mA**



**25mm Lens**



## CM25H-SH50

### SUNSHIELD BULLET CAMERA

- Indoor/Outdoor Weather Resistant
- 1/3 CCD **High Resolution** 480 TVL 0.1 LUX
- 50mm Lens
- Bracket Included
- **DC12V / 150mA**



**50mm Lens**



## CM25W-1.7

### Panoramic **Super Wide Angle** Bullet Camera

- Indoor Camera
- Super Wide Angle
- **1.7mm Lens(178°)**
- 1/3 CCD 420 TVL 0.1 LUX
- Bracket Included
- **DC12V / 150mA**



**1.7mm Lens**



## CM25W-2.5

### Panoramic **Super Wide Angle** Bullet Camera

- Indoor/Outdoor Weather Resistant
- Super Wide Angle
- **2.5mm Lens(165°)**
- 1/3 CCD 420 TVL 0.1 LUX
- Bracket Included
- **DC12V / 150mA**



**2.5mm Lens**





# Indoor/Outdoor Mini Bullet Cameras

## CM25SH CM25SH-G

G=Charcoal Color

## CM25SH-S

S=Silver

### SUNSHIELD BULLET CAMERA

- Indoor/Outdoor Weather Resistant
- 1/3 CCD 420 TVL 0.1 LUX
- 3.6mm Lens
- Bracket Included
- DC12V / 150mA

**3.6mm Lens**



CM25SH-G



## CM25W-2.5-9

### Varifocal Indoor Bullet Camera

- Indoor Camera
- 1/3 CCD 420 TVL 0.1 LUX
- 2.5~9mm Lens
- Bracket Included
- DC12V / 150mA



Adjustable Focus / Zoom



**2.5~9mm Lens**



## CM25H CM25H-W

W=White Color

### High Resolution Bullet CAMERA

- Indoor/Outdoor Weather Resistant
- High Resolution 1/3 CCD 480 TVL 0.1 LUX
- 3.6mm Lens
- Bracket Included
- DC12V / 150mA



**3.6mm Lens**



**480 TVL**



CM25H-W



## CM25W-4-9

### Varifocal Bullet Camera


- Indoor/Outdoor
- 1/3 CCD 420 TVL 0.1 LUX
- 4~9mm Lens
- Bracket Included
- DC12V / 150mA



**4~9mm Lens**



Focus / Zoom Adjustable



# Advanced CCTV Lenses

## LO60FIR

6 mm Fixed Lens with 12 Infra Red LED 1/3" F1.8



## Fixed Focal, Fixed Iris Lenses

- L025F Fixed Iris Lens C/CS Mount 2.5MM F:1.6 1/3"
- L040F Fixed Iris Lens C/CS Mount 4.3MM F:1.6 1/3"
- L060F Fixed Iris Lens C/CS Mount 6MM F:1.6 1/3"
- L080F Fixed Iris Lens C/CS Mount 8MM F:1.6 1/3"
- L120F Fixed Iris Lens C/CS Mount 12MM F:1.6 1/3"
- L160F Fixed Iris Lens C/CS Mount 16MM F:1.6 1/3"



## Mini Lenses

- L017S Mini Lens 1.7mm Ultra Wide Angle Lens (Fish Eye View)
- L025S Mini Lens 2.5mm F:2.0 Wide Angle Lens
- L036S Mini Lens 3.6mm
- L043S Mini Lens 4.3mm F:2.0
- L060S Mini Lens 6mm F:2.0
- L080S Mini Lens 8mm F:2.5
- L120S Mini Lens 12mm F:2.5
- L250S Mini Lens 25mm F:2.5
- L500S Mini Lens 50mm F:2.0
- L037P Mini Lens PINHOLE 3.7 mm Cone Shape
- L037PF Mini Lens PINHOLE 3.7 mm FLAT Shape
- L037BU Mini Lens for BUTTON CAMERA 3.7mm
- L055P Mini Lens PINHOLE 5.5mm
- L043SCR Mini Lens Screw Type 4.0mm
- L040PP Mini Lens Super PINHOLE 4mm
- L4090SM Mini Lens 4-9mm Manual IRIS



## Mini Lens Holder

LC001

Lens Adapter- From "C"  
Lens to Board Lens



LC002

Lens Ring Adapter-  
From CS Lens to C Ring



LH01

Pinhole Lens Holder



LH02

Mini Lens Holder





# Advanced CCTV Lenses

## Vari-Focal Manual Iris Lenses

- L3508M      Varifocal Lens 3.5mm to 8mm w/ Manual Iris 1/3" F1.4 (L3.5-8mm)
- L0615M      Varifocal Lens 6mm to 15mm w/ Manual Iris 1/3" F1.2 (L6-15mm)
- L0636M      Varifocal Lens 6mm to 36 mm w/ Manual Iris 1/3" F1.2
- L0550M      Varifocal Lens 5mm to 50 mm w/ Manual Iris 1/3" F1.2
- L0660M      Varifocal Lens 6mm to 60 mm w/ Manual Iris 1/3" F1.2
- L4090SM      Mini Varifocal Lens 4mm to 9 mm w/ Manual Iris 1/3" F1.2



## Fixed Focal Manual Iris Lenses

- L028M      Manual Iris Lens 2.8MM F1.2
- L040M      Manual Iris Lens 4MM F1.6 CS Mount
- L060M      Manual Iris Lens 6MM F1.6 CS Mount
- L080M      Manual Iris Lens 8MM F1.6 CS Mount
- LC15      Manual Iris Lens 18MM F1.6 CS Mount



## Auto Iris Vari-Focal Lenses

- L3080ZD      Varifocal Auto Iris 3.3-8mm 1/3" CS F:1.4 DC
- L0615ZD      Varifocal Auto Iris 6-15 mm 1/3"
- L0660ZD      Varifocal Auto Iris 6-60mm CS
- L0550ZDE      Varifocal Auto Iris 5-50mm CS
- L02812ZD      Varifocal Auto Iris Lens 2.8-12mm F1.4 DC
- L4090SZD      Mini Varifocal Auto Iris Lens 4-9mm F1.4 DC
- L05100ZD      Varifocal Auto Iris 5-100mm CS



## Motorized Zoom Lens

- LZ0610MV      Motorized ZOOM LENS 6-60mm (15-L6-60mm)
- LZ10200MV      Motorized ZOOM LENS 10-200mm
- LZ10300MV      Motorized ZOOM LENS 10-300mm



## Auto Iris Fixed Focal Lenses

- L020D      Auto Iris Lens 2.8mm
- L040D      Auto Iris Lens 4mm
- L060D      Auto Iris Lens 6mm
- L080D      Auto Iris Lens 8mm
- L120D      Auto Iris Lens 12mm
- L160D      Auto Iris Lens 16mm



# 2.4Ghz Wireless Transmitter Camera & Receiver DVR

## 2400PDR

### 2.4GHz 4CH Wireless & Hard-Wired Portable DVR

- 2.4G 4CH Wireless Portable DVR Monitor
- **MPEG4 Compression** 30Fps Real Time
- Portable Audio Video Recorder
- SD Capacity Display
- 1 GB SD Card Included
- Built-in Rechargeable **Li-Ion Battery**
- DC 5V 1800mA **Output DC 5V Camera**



Vehicle DVR

**New**



## 2400TX 2.4G Wireless Transmitter

- 2.4G Wireless transmitter for ALL 5V Covert Cameras
- **DC5V**



## 2400MTS1 2.4G 4Ch Wireless Transmitter

- Ultra Mini 2.4 GHz 4Ch Wireless 4CH A/V
- Transmitter Module
- **DC 12V**



## 2400VR

- 2.4G 4Ch Receiver
- **DC 12V**



## 2400VT

- 2.4G 4Ch Transmitter
- **12VDC FCC Approved**

2.4G 4Ch Receiver

## 2400CTC

- 2.4G Wireless High Resolution CMOS Camera
- Built-in Rechargeable Li-Ion Battery
- **DC 5V 1A**



Wireless DVR Optional

**New**



## 2400CM25

- 2.4G Wireless High Resolution CMOS IR Camera
- 10 High Intensity IR LED's
- 6mm Lens
- **DC 12V 300mA**



Wireless DVR Optional

**Dual Glass Technology**

**New**



# Truly, the World's Smallest DVR & Cameras

NEW for 2009 at **SECURITY: CDC SPY Camera**


New

(Color Digital Compression)

## MISSION POSSIBLE

**NEW**  
**SPY Camera**

Camera



### CL35

#### Pan & Tilt CLIP CAMERA

- 1/8" DSP Color CDC Board
- 420TVL 1LUX
- 3.7mm Pinhole Lens
- DC3V-5V

Camera



### BTR35

#### (Functional Bluetooth earphone/microphone) BLUETOOTH CAMERA

- 1/8" DSP Color CDC Board • 420TVL 1LUX
- 3.7mm Pinhole Lens • DC3V-5V

Camera



### PN35

#### PEN CAMERA

- 1/8" DSP Color CDC Board
- 420TVL 1LUX • DC3V-5V
- 3.7mm Pinhole Lens

Camera



### SG35

#### COVERT SUNGLASSES CAMERA

- 1/8" DSP Color CDC Board
- 420TVL 1LUX
- 3.7mm Pinhole Lens
- DC3V-5V

Camera



### CG16BU-5V

#### BUTTON CAMERA

- Ultra MINI COLOR 1/3 SONY CCD
- 480 TVL 0.1Lux
- 3.7 mm Button Lens



### PDR25M

#### PORTABLE DVR

- Smallest, Lightweight, Portable Digital Mini Recorder.
- Video Recording Compression: MPEG-4.
- Built-in Rechargeable 800mA Li-Ion battery pack.



### 5V PK2.5A 5V PK4.5A

#### Li-Ion Rechargeable Battery Pack

"SONY" is a registered trademark of the SONY Corporation of America

\*\* Designed in U.S.A.

# World Smallest PDR Portable Digital Recorder


## PDR50M-5V **MPEG 4**

### Portable Audio Video Recorder

- Included 1GB SD Card Rechargeable Li-Ion Battery
- **MPEG4 Compression** Audio Video Input / Output
- DC 5V 2A **Output DC 5V Camera**



Vehicle DVR



## PDR100M

## **MPEG 4**

### Portable Audio Video Recorder

- Included 1GB SD Card Rechargeable Li-Ion Battery
- **MPEG4 Compression** Audio Video Input / Output
- DC 5V 2A **Output DC 12V Camera**



Vehicle DVR



**5VPK2.5A/  
5VPK4.5A**



**Li-Ion Battery Pack  
Rechargeable Battery  
Pack w/ DC CABLE**



## PDR25M

### Micro DVR with Built-In 2.4" LCD Monitor. Same size as a Credit Card!

- Built-in **2GB** Mini SD RAM Rechargeable Li-Ion Battery
- **MPEG4 Compression** Audio Video Input / Output
- DC 5V 800mA



**SONY 1/3" CCD**  
Wide Angle 2.1mm Lens

**CG21**

Camera Optional



**SG35**



Sunglasses Camera

**BTR35**



Bluetooth Camera

**CL35**



Clip Camera

**CG16BU-5V**



Button Camera

**PN35**



Pen Camera



# World Smallest PDR Portable Digital Recorder

## SG35

### Sunglass Covert Camera

**Sunglass Covert Camera**

1/8" DSP Color CCD Board 420TVL


3.7mm Pinhole Lens 1.0Lux

DC3V-5V Low Power



## BCM26P

1/8" DSP Color CCD Board  
420TVL 3.7mm Pinhole Lens  
1.0Lux DC3V-5V Low Power



## CG21

**SONY** 1/3" CCD

Wide Angle 2.1mm Lens



New

## PN35

**PEN CAMERA**

• 1/8" DSP Color CDC Board

• 420TVL 1LUX • DC3V-5V

• 3.7mm Pinhole Lens



New

## BTR35

(Functional Bluetooth earphone/microphone)  
**BLUETOOTH CAMERA**

- 1/8" DSP Color CDC Board
- 420TVL 1LUX
- 3.7mm Pinhole Lens
- DC3V-5V



New

# World Smallest PDR Portable Digital Recorder

## CL35

### Pan & Tilt CLIP CAMERA

- 1/8" DSP Color CDC Board
- 420TVL 1LUX
- 3.7mm Pinhole Lens
- DC3V-5V

*New*



## CG16BU-5V

### BUTTON CAMERA

- Ultra MINI COLOR 1/3 **SONY** CCD
- 480 TVL 0.1Lux
- 3.7 mm Button Lens

*New*



## MCDVR

### Motion Detection DVR Monitor

#### High Resolution 7" LCD/TFT Monitor with Built In MPEG4 DVR

- Motion Detection SD Card capability.
- Memory FULL overwrite Function.
- **MPEG4 Compression**
- 1GB SD Card Included
- Rechargeable Li-Ion Battery
- **DC12V 3A**

#### Camera Optional



**Remote Control**

## 3.7V PK1.4A

Li-Ion Battery Pack  
Rechargeable Battery  
Pack w/ DC Charger  
**DC3.7V 1.4A Output**




## 2AAPK

Not Rechargeable  
Alkaline Battery Pack  
Size AA 1.5V x2  
**DC 3V Output**



**For all Mini Digital Video Recorders & CDC Cameras**







# Covert PIR DVR & Speaker DVR

## PIR-DVR PIR Color Camera with Built In DVR

- Records Video and Takes Snap Shots. Compatible with SD Cards
- Memory FULL overwrite Function.
- MPEG4 Compression Included 1GB SD Card
- Rechargeable Li-Ion Battery
- DC6V 2A




2.4G Wireless Transmitter Optional



## SPDVR Covert Speaker DVR

- Motion Detection SD Card capability.
- Memory FULL overwrite Function.
- MPEG4 Compression Included 1GB SD Card
- Rechargeable Li-Ion Battery
- DC6V 2A




## USBDVRO4SP USB 2.0 4CH Digital Audio Video Recorder MPEG 4 Compression

- USB 2.0 Digital Audio Video Recorder
- 4 Channels Input & 1 Audio Input with Quad Mode
- MPEG4 Video Compression format
- Support Multi-channel Playback
- Multi Alarm Triggering method sensor
- Remote Control Via Network

New




Software Included



# Wide Angle Door or Car Trunk Camera

## PH35 Video Peephole Door Camera

- Adjustable to Multiple Standard Door Widths
- Super Wide Angle 1.7mm Lens
- **SONY** 1/3" CCD 480 TVL 0.1 LUX
- **DC12V/ 150mA**



**1.7mm Lens**


## RC35 Reverse Wide Angle Trunk Camera

- Super Wide Angle 1.7mm Lens(178°)
- Adjustable Screw Mount
- High Resolution, Ultra Low Lux
- 1/3" CCD 480 TVL 1 LUX
- **DC12V 150mA (powered by Car Battery)**



## RC15 Wide Angle Vehicle Camera

- Super Wide Angle 2.5mm Pinhole Lens
- Adjustable Screw Mount
- High Resolution, Ultra Low Lux
- **SONY** 1/3" CCD 420 TVL 0.5 LUX
- **DC12V 150mA**





**2.5mm Lens**

## RC25 Wide Angle Vehicle Camera

- Super Wide Angle 1.9mm Lens
- Adjustable Screw Mount
- High Resolution, Ultra Low Lux
- **SONY** 1/3" CCD 420 TVL 0.5 LUX
- **DC12V 150mA**



**1.9mm Lens**





# Snake CAM

## CS25PA

## Snake CAM

### PINHOLE SNAKE CAM


- **SONY** 1/4" Color CCD
- 420 Lines, 0.1LUX
- Pinhole Lens 3.7mm
- Fiber Optic Style
- DC9~12V / 120mA

### 3.7mm Lens




11mm

20mm



## CS01

- **Goose Neck Flashlight**
- **W/ 6 LEDs illuminator**



## CS55P

## Flexible Goose Neck Snake CAM

- **SONY** 1/4" Color CCD
- 420 Lines, 0.1LUX
- Pinhole Lens 3.7mm
- DC9~12V / 120mA



Portable DVR



Monitor

Optional

## CMS55P-12V


## CMS55P-5V

### SNAKE CAM with LED Flash Light

- Mini CDC 420TVL 1Lux
- DC5V/12V



Include 5 Feet Extension Arm



## CM35EN

## Digital Endoscope Camera

- **SONY** 1/3" CCD 480 TVL Super High Res.
- 0 Lux w/ optional Light
- Multiple Accessories Available
- CS Mount Microscope
- Fiber Optics Endoscope Compatible
- Optional Freeze for Data Storage
- DC12V 120mA



L0550M  
C/CS Lens

LC15  
Lens Adapter

CS26  
Fiber Optic Lens

L060FIR  
6mm IR Lens

# Covert Motion PIR & Picture Frame Cameras

## CH21C-E PIR Motion Detector Camera

### Pir Motion Detector Camera


- Color CCD 420 TVL 0.1 LUX
- Pinhole Lens 3.7mm
- DC12V / 150mA



## PF25 Picture Frame Camera

### Picture Frame Camera w/ Digital Alarm Clock


- Color CCD 420 TVL 0.1 LUX
- Pinhole Lens 3.7mm
- DC12V / 150mA



# Covert Fire Sprinkler & Smoke Detector Cameras

## FS35 Fire Sprinkler Camera

- Color CCD 420TVL 0.1LUX
- Pinhole Lens 2.5mm
- DC12V / 150mA
- Drop Ceiling Mount



## SDR35

### Functional Smoke Detector Color Camera

- **SONY** CCD 470TV Line 0.1LUX
- Alarm Output & 3.7mm Pinhole Lens
- DC12V / 150mA





# Capture / Freeze Camera

## CPT-E

**New**

### Feature:

- **SONY 1/4" CCD sensor**
- **Adjustable Lens & Auto Focus**
- **Capture and Freeze.**
- **Composite Video Output to Monitor or TV.**
- **High Light Cold LED.**
- **0 Lux.**



USB CAPTURE 1.1 or 2.0 w/software optional



## CPTCM

## USB Capture CAM

**New**

### Feature:

- **High Resolution USB CMOS Camera with 2.0 software**
- **Adjustable Lens & Auto Focus**
- **Capture and Freeze.**
- **High Light Cold LED.**
- **0 Lux.**



COOL LIGHT LED



Disk



## CPT

## CPTCV (CPT COVER)

### Feature:

- **SONY 1/4" CCD sensor High resolution 760,000 pixels.**
- **Adjustable Lens & Auto Focus 2 cm up to infinity.**
- **Split Image Capture and Freeze.**
- **Composite Video Output to Monitor or TV.**
- **High Light Cold LED.**
- **0 Lux.**



**COVER Optional**



**Optional Digital Capture**



## High Resolution



Disk

USB CAPTURE 1.1 or 2.0 w/software optional

# Mini Indoor High Speed Dome Cameras

## CD65HZD-H

## The World Smallest PTZ Dome

### Mini INDOOR PTZ HIGH SPEED COLOR DOME

- **SONY** CCD Module Camera
- 10X Optical Zoom 4.2~42mm Lens
- **480TVL** High Sensitivity 0.1 Lux
- 360° PTZ/Auto Pan 0~90°/Tilt 0.5~90°
- 128 Preset
- **Pelco-D** compatible Bps 2400/4800/9600/19200
- Dimensions 120x160mm / 0.5Kg
- Easy Installation
- **DC12V 1.5A**

10X Optical Zoom

4.2 Inches

Powered by  
**SONY**  
CCD

New

### AU40M

Keyboard Controller



### RS232-485

Converter




Option



## CD65HZD

### 355° INDOOR PAN TILT SPEED DOME WITH REMOTE CONTROL

- 1/4" High Resolution CCD Camera
- 480TV Lines 0.5 Lux
- **Wall Mount Included**
- Remote Control
- **DC12V / 350mA**




## CD65HZD-VP

### VANDAL PROOF 355° OUTDOOR PAN TILT SPEED DOME WITH REMOTE CONTROL

- 1/4" High Resolution CCD Camera
- 480TV Lines 0.5 Lux
- **Wall Mount Included**
- Remote Control
- **DC12V / 350mA**



355° Pan/Tilt  
**PELCO-D Compatible**





# Vandal Proof Tracking High Speed Dome Cameras

## CD65HZD-HW

## The World Smallest Outdoor PTZ Dome

Mini OUTDOOR PTZ HIGH SPEED COLOR DOME

10X Optical Zoom

- **SONY** CCD Module Camera
- 10X Optical Zoom 4.2~42mm Lens
- **480TVL** High Sensitivity 0.1 Lux
- 360° PTZ/Auto Pan 0~90°/Tilt 0.5~90°
- 128 Preset
- **Pelco-D** compatible Bps 2400/4800/9600/19200
- Dimensions 120x160mm / 0.5Kg
- Easy Installation
- **DC12V 1.5A**



AU40M

Keyboard Controller



RS232-485



Option



## CD55NVT

## Active Auto Tracking 360° High Speed Dome

- Auto Tracking by Motion Detection w/ in 360° Spherical Algorithm
- Auto Tracking Combine w/ preset points to achieve extreme Surveillance
- **SONY Ex-View CCD**
- 540 TVL 36X Optical Zoom 10X Digital Zoom
- Day & Night Low Pass Filter Removeable
- 64X Frame Integration
- 24 Areas Privacy Mask Setting
- 24 Areas Spherical Motion Detection Setting
- Multiple Object Tracking by Alarm Signal

2009

New Product



Optional



**SONY** Module Made in Japan



# Speed Dome Cameras

## CD52W

## Weather Proof



### 220X ECONOMIC 360° PAN TILT ZOOM DOME CAMERA

- 1/4" **SONY** CCD Color Camera
- 360° PTZ / 220x Zoom (350° Per Second)
- **Wall and Ceiling Mounting Bracket Included**
- 0~0.01Lux Sensitivity
- **Weather Resistant (IP66)**
- 22X Optical and 10x Digital Zoom
- **AC24V ± 10% 1.75A / 30VA(Included)**

## LOW COST

### Optional



Option

#### AU40M

Keyboard Controller



#### RS232-485 Converter



220X Zoom(18X Opti 12 Digital) EX45C  
 220X Zoom(18X Opti 12 Digital) EX480C  
 26X Optical Zoom FCB-EX980  
 22X Optical Zoom **SONY** CCD  
 26X Optical Zoom **SONY** CCD  
 36X Optical Zoom **SONY** CCD FCB-EX1010  
 (Wide-Dynamic, 540 TV lines horizontal resolution)

## 22X Optical 10X Digital Zoom

# PTZ Dome Cameras

## CPTZ-1RC

## EZ DIY KIT

### HIGH RESOLUTION ZOOM CAMERA KIT WITH CONTROLLER AND PAN TILT DEVICE

- 1/3" **SONY** CCD High Resolution 480TVL
- 12X OPTICAL Zoom Lens 5~60mm
- Controller and Pan Tilt Unit Included
- 66FT Cable Included (extendable)
- **DC12V 300mA**



## CZ12/CZ20

(12X Zoom) (20X Zoom)

## CDPT-2

### ALL IN ONE 355° PAN/TILT DOME KIT


- 1/3" **SONY** High Resolution CCD Camera
- 470 Lines 0.5 Lux DAY & NIGHT
- 4.0mm F1.6 Lens AI Lens
- Controller, Cable Included
- **DC12V 300mA**



## AS21



## ACCESSORIES INCLUDED



## ECONOMICAL!



# High Speed Dome System

## CD54W

## Middle Speed Dome Day & Night 360°

- **SONY** Super HAD CCD
- 220X (22X Optical, 10X Digital)
- Auto Focus/Zoom 360° PTZ
- Weather Resistant(IP66)
- PELCO-D Compatible



### Optional



### AU40M Keyboard Controller



Option


## Economic

- 220X Zoom(18X Opti 12 Digital) EX45C
- 220X Zoom(18X Opti 12 Digital) EX480C
- 26X Optical Zoom FCB-EX980
- 22X Optical Zoom **SONY** CCD
- 26X Optical Zoom **SONY** CCD
- 36X Optical Zoom **SONY** CCD FCB-EX1010
- (Wide-Dynamic, 540 TV lines horizontal resolution)

## CD51W

## 12X OPTICAL ZOOM 5~60mm Pelco-D Data Control

- 1/3 **SONY** CCD High Resolution
- Indoor / Outdoor 480TVL 0.1LUX
- Motorized Zoom 5~60mm
- Acrylic Dome Cover 12X Optical Zoom
- ABS Plastic, Waterproof Design
- Pan Range 0~355° / Tilt Range 0~90°
- RS485 Data Communication, Built in Receiver
- Multi Protocol, PELCO-D
- AC24V



### Motorized Zoom 5~60mm

## CD90-W

## Pan/Tilt Dome

- Large Outdoor/Indoor Dome
- 9" Interior Diameter w/ Pan And Tilt
- AC 24V (use with w/ B090)



# Pressure High Speed Dome Cameras

## CD55NV-PD

### OUTDOOR PRESSURE HIGH SPEED DOME

- **Airproof Design**
- **Defend Grade Reach - IP67**
- **With 34.5 KPA of Nitrogen Gas Inside**
- **Low Pressure Alarm Function**
- **Suitable for Wet, Dusty, Hot and Extremely Bad Environment**



**AU40M**

Keyboard Controller



**Option**



**Suitable for Extremely Rugged Environment**

## Tracking & IP High Speed Dome System

## CD52NV-NW

### Outdoor Network Speed Dome Camera

- **Connected directly to Ethernet, for long distance transmission**
- **Embedded network structure**
- **Transmitting quality MPEG4 video image, 30 frames/s**
- **Built-in Network Server**
- **RJ45 connection**
- **Ethernet PCI, 10 Base-T**
- **Network bandwidth adjust function**  
100 ~ 1000Kbps
- **Supports Audio & Video Recording**

220X Zoom(18X Opti 12 Digital) EX 45C  
220X Zoom(18X Opti 12 Digital) EX 480C  
26X Optical Zoom FCB-EX 980  
22X Optical Zoom **SONY** CCD  
26X Optical Zoom **SONY** CCD



**AU40M**

Keyboard Controller




**RS232-485**



**Option**



**Option**





# High Speed Dome System

## CD55 CD55NV (Day & Night)

**216X Zoom DAY & NIGHT HIGH SPEED DOME CAMERA**

**Weather Proof**



### CD55

- High Sensitivity 0.5 Lux
- Weather Resistant (IP66)
- 128 Presets
- **18X Optical and 12X Digital Zoom**
- Easy Installation
- **Heater/Blower Housing Included**
- 24 Volts AC Power



### CD55NV (Day & Night)

- 1/4" **SONY** CCD Color Camera
- Ultra High Resolution 520 Lines
- **360° PTZ / 216X Zoom (350° Per Second)**
- Wall and Ceiling Mounting Bracket Included
- **0~0.01Lux Sensitivity**
- Weather Resistant (IP66)
- 18X Optical and 12X Digital Zoom
- 128 Presets
- 4 Alarm Input / 1 Alarm Output
- 6 Auto Cruises each with 16 position
- AC24V  $\pm$  10% 1.75A / 30VA(Incl'd)

220X Zoom(18X Opti 12 Digital) EX45C  
220X Zoom(18X Opti 12 Digital) EX480C  
26X Optical Zoom FCB-EX980  
22X Optical Zoom **SONY** CCD  
26X Optical Zoom **SONY** CCD  
36X Optical Zoom **SONY** CCD FCB-EX1010  
(Wide-Dynamic, 540 TV lines horizontal resolution)

#### RS232-485 Converter



**Option**

#### AU40M Keyboard Controller



## CD55-H Indoor Color PTZ High Speed Dome

- **0-360°/sec.**
- **Ultra High Resolution 520 Lines**
- **360° PTZ / 216X Zoom**
- Multiprotocol **PELCO-D**
- **Weather Resistant (IP66)**
- 128 Presets
- **18X Optical and 12X Digital Zoom**
- Easy Installation
- **24 Volts AC Powered**



220X Zoom(18X Opti 12 Digital) EX45C  
220X Zoom(18X Opti 12 Digital) EX480C  
26X Optical Zoom FCB-EX980  
22X Optical Zoom **SONY** CCD  
26X Optical Zoom **SONY** CCD  
36X Optical Zoom **SONY** CCD FCB-EX1010  
(Wide-Dynamic, 540 TV lines horizontal resolution)



#### AU40M Keyboard Controller



#### RS232-485 Converter



**Option**

**Option**



**Smoked Cover**

**18X Optical 12X Digital Zoom**



# High Speed PTZ Camera

## ASH56NV-IR

## CD57NV-IR

## Super Shockproof

### Wide Dynamic

### 36X Optical Zoom Auto Focus

### Infra Red High Speed P/T/Z System

- With infrared LED range up to 100 meters, Can view in Complete Darkness up to 300FT via Infra Red Illuminators
- Weatherproof design, high die-cast aluminum casing, protection grade IP66
- With wiper
- Super shockproof, especially suitable for car surveillance
- 360° continuously rotation, upward angle up to 180°
- 6 cruising tracks, each cruising track has 16 preset positions, 128 preset positions

### AU40M

### Keyboard Controller



Option



Shock Absorber



Optional



## CD56NV-IR

### Infra Red High Speed P/T/Z System

- Can view in Complete Darkness up to 300FT via Infra Red Illuminators
- Weatherproof design, Die Cast aluminum casing, protection grade IP66
- Also Designed for Automobile Installations with the use of Shock Absorber Installed
- 360° continuously rotation, upward angle up to 180°
- 6 cruising tracks, each cruising track has 16 preset positions, 128 preset positions

## Super Shockproof

### Wide Dynamic

### 36X Optical Zoom Auto Focus



### AU40M

### Keyboard Controller




Option



Shock Absorber



Optional



CD56NV-IR Technology

other brand



# High Speed PTZ Cameras

## ASH85WP 200X Zoom Optional

### Intelligent High Speed Pan/Tilt System

- No hidden angle, 360° continuously rotation, Built-in receiver, Multi-speed control: 0°~20°/s
- 6 cruising tracks, 128 preset positions, minimum rotation required to acquire targeted picture
- Built-in fan, heater and wiper, it can be configured
- 20x 30x lens for the far distance
- High speed for wide-angle, low speed for far distance, locking the target faster



ASH85WP

AS85W

**Wide Dynamic  
36X Optical Zoom  
Auto Focus**



## ASH65NV Optional 36X Optical Zoom Available

### Outdoor PTZ Day & Night Camera 432X Zoom

- 1/4" **SONY** ExView Super HAD CCD
- 18X OPTICAL ZOOM, 12X DIGITAL ZOOM
- Auto/Manual White Balance
- With Wiper Control
- More than 480 TV Lines 0.1 LUX Day & Night



**Wide Dynamic  
36X Optical Zoom  
Auto Focus**



# Heavy Duty Pan Tilt Cameras

## AH75WP 200X Optical Zoom Lens Available (Optional)

### Outdoor/Indoor Lens not included

- Digital IP Pan Tilt Zoom
- 200X Optical Zoom Lens Available
- Outdoor All-Weather Housing Unit
- Vandal Proof Heavy Duty Protection
- With Wiper and Heater Blower Included
- Built in RS485 Compatible **PELCO-D**



#### Technical Data - AH75WP Housing

Input voltage	AC24V
Heater	~24V(20W)
Fan	DC 12V (1.2W)
Temperature control	Over 45°C, Fan Startup Low -5°C, Heater Startup
Lens control	Zoom/Focus/Iris: ±12V
Weight	5.5 KGS

AS75SW  
Pat/tilt unit



#### Technical Data - AS75SW Pan/Tilt Unit

Input voltage	AC24V
Angular Travel	Pan 350° / Tilt +20°~90°
Speed	Pan 0.25°~10°/sec. - Tilt 0.25°~10°/sec.
	Over 45°C, Fan Startup
Limit Stop	Externally Adjustable
Load Rating	15 KGS
Operating Temperature	-35°C ~ +60°C
Construction	Aluminium Alloy Casting
Weight	10 KGS

B075  
Bracket

# High Speed Domes Installation Accessories

## WSD120

3-in-1 speed dome cable  
(120 feet)



Stackable  
(120Feet + 120Feet)

POWER

RS485

VIDEO(M) VIDEO(F)

## BSD-EM

embedded bracket



## BSD-PM

pole bracket



## MIRROR-COVER



## BSD-corner

indoor corner  
bracket



## BSD-CM1/3

1/3-foot ceiling  
mount



## BSD-corner-W

outdoor corner bracket



## SMOKED-COVER



## BSD-CM3



BSD-CM3

3-foot ceiling mount



## BSD-CM6

6-foot ceiling mount



## BSD-RM

High Speed Dome Arm for  
Outdoor



\*Dome is not included

## BSD-CM-L



## AU40B

Keyboard  
Controller



## AU40E

Economic  
Key Board Control



## AU40M

3 Axis Joystick  
w/ Color Quad



## AU40Z

Keyboard Controller for All  
High Speed Dome (3-Axis)





# RS232-485 Controller & Turning Devices

## AS20WE-24V AS20WE-110V

Standard Pan & Tilt Device  
Outdoor/Indoor

AC24V  
or  
AC110V



## AS20W-24V AS20W-110V

Outdoor (water resistant)  
Standard Pan & Tilt Device

AC24V  
or  
AC110V



## AS10-24V AS10-110V

Standard Panning Device (Scanner)  
Outdoor/Indoor

AC24V  
or  
AC110V



## AS10M

Mini Standard Panning Device  
(Scanner) AC 24V



## AS10MRF

RF Mini Scanner Remote Control



## AS20

Standard Pan & Tilt Device  
Outdoor/Indoor AC24V / AC110V



## AU20

Control Box for 15-AS20 Pan & Tilt  
Device



## AU30

Control Box for Pan & Tilt &  
Zoom 1 for 1



## RS232-485E

Economical RS-232 to  
RS-485 Converter



## RS232-485 With Surge Protection 1000V

RS232 to RS485 Converter  
Up to 99 High Speed Dome  
DC 7-12



## AU50

Control Box for Pan & Tilt &  
Zoom 1 for 5



# 19" Rack Mount Series

## RKMC08

- TFT/LCD Monitor for RACK4UB-2D:  
2 Inputs (VGA & RCA) with Audio  
and Remote **DC 12V**



**4U Casing Optional**

## BOMW

**Universal VESA**

- TFT/LCD Monitor Wall / Ceiling  
Mounting Bracket **22LBS**



## BOMC

**Universal VESA**

- TFT/LCD Monitor Wall /  
Ceiling Mounting Bracket  
**22LBS** With 3"x3" & 4"x4"



## MC08R MC08R-TS

- Rack Mountable 8" TFT/LCD  
Monitors : 2 Inputs (VGA & RCA)  
with Audio and Remote **DC 12V**



(TS:Touch Screen Monitor)

## MC17R

- Rack Mountable 17" TFT/LCD Monitors :  
2 Inputs (VGA & RCA) with Audio and  
Remote **DC 12V**



## MC08RVGA-TS

- Rack Mountable 8" TFT/LCD  
Monitors : 2 Inputs (VGA & RCA)  
with Audio and Remote **DC 12V**



(TS:Touch Screen Monitor)

## MC35RK-4

- Rack Mountable 4 High Res. TFT/LCD  
Color Monitor w/Audio **DC 12V**




## RKSH-MK

- 19" rack mountable sliding drawer for  
mouse and keyboard




## RKSH-K

- 19" rack mountable sliding drawer  
for mouse and keyboard



## RK42-B

- 19" rack mountable shelf **SMALL**



## RK42-C

- 19" rack mountable shelf **LARGE**






# 19" Rack Mount Stand

## RK42

### Compact Shipping Packaging

- Perfect For CCTV / DVR / PC Server / LCD Monitor
- Aluminum, Black Color
- Hold up to 450LBS
- 42U Stand
- 55LBS Light Weight



## RKAC7

- Rack Mount 7 AC Power Strip With Short Protection




## RK16AC-200VA

- 16 port Rack Mountable 24V AC Power Supply 200VA with Fuse



## RK16DC-10A

- 16 port Rack Mountable DC 12V Power Supply 10A with Fuse



## 42U





# Linux-Based **MPEG 4** DVR

## USBDVRO4

- **USB 2.0 Digital Audio Video Record**
- **4Video & 2Audio Channels Input**
- **4 Screen Display Modes**
- **MPEG4 Video Compression format**
- **Support Multi-channel Playback**
- **Multi Alarm Triggering method sensor**



Disk



## DVR ECO Series



**NO Virus**



**MPEG 4 VIDEO COMPRESSION 480 FPS**  
with Embedded **LINUX O.S** System

**LOW COST**



### Compression Type:

- MPEG 4 Video Compression

### Stability:

- System on Chip Embedded Linux OS,
- System Auto Detect, Format and Partition New HDD's

### Lead:

- 4~16 Channels Real Time Display Best Choice for PTZ Camera **Multi Protocol.**

### Innovation:


- Provide PSTN, LAN, Internet Connection.
- Remote Site Display, Control, PlayBack, Export, PTZ Control.
- Provides Multi Users Remote Access at the Same Time.

### Security:

- Provide System Logs & User Access Control. PTZ Camera.

**1 CH Audio**

**PTZ**  
**Optional**



**Perfect for Home & Office Surveillance**

**Multi Channel PlayBack**

## DVR-PRO Series

- **MPEG 4 4/8/16 display Embedded**
- **Linux System NTSC 480 frames Image**
- **Display Speed Total 100~200 frames Image Record Speed**

**480 FPS**

**1 CH Audio**

**Multi Channel Play Back**

**4U**



**8" Touch Panel Optional**






# Real-Time DVR Digital Video Recorder

## DR7016F 16CH Real Time Card (Stackable up to 32CH)


- 32 Ch Window DVR
- Provide PSTN, LAN, Internet Connection
- Remote Site Display, Control, PlayBack, Export, PTZ Control
- CDRW



## DR5016F 16CH Real Time Card

- 480 FPS Display/Record NTSC
- 1- 16 channel video input
- Multi Alarm Triggering Mode
- 1- 16 Screen Display Modes
- MPEG4-Video compression format:

**Recording Audio/  
Video Real-Time**



## DR004PRO

4 Channel Digital Recorder PCI Card  
Stackable Up to (16Ch) 30 FPS/ Card

**30-120 FPS**



## NV3000

NEW Video Capture Card 4CH~16CH -  
30~120 fps (Display and Recording) -  
Stackable up to 4 Cards

**30-120 FPS**



## NV5000

NEW Windows based Video Capture  
Card - Display and Recording Rate:  
120~240 fps - Stackable up to 2 Cards

**120-240 FPS**



## NV7000

NEW Windows based Video Capture Card  
Recording Rate: 120~480 fps - Stackable  
up to 4 Cards


**120-480 FPS**



## DR3004F

**4CH 30 FPS**

- 30 FPS Display/Record NTSC
- 1- 4 channel video input
- Support schedule recording mode./ Alarm Trigger Mode
- MPEG4-Video compression format:
- Support multi-channel playback, searching by time/date and recording events.
- Support remote surveillance and PTZ control via web browser, and dynamic domain name.
- 4CH Card (stackable to 16CH-4x4 )
- Software Included




## DR3016F

**120 FPS**

**1~16CH**

- 120 FPS Display/Record NTSC
- 1- 16 channel video input
- Support schedule recording mode./ Alarm Trigger Mode
- MPEG4-Video compression format:
- Support multi-channel playback, searching by time/date and recording events.
- Support remote surveillance and PTZ control via web browser, and dynamic domain name.
- 1PCI Card with 3 Pigtails (16 CH Total)
- Software Included



# Standalone **H.264 DVR** Digital Video Recorder

## DVRC264-USB

- **H.264 Algorithm hardware compression**
- **4 CH DVR 120/120 fps recording capability**
- **VGA Output**
- Supports audio available
- Pentaplex operation (Playback / Recording / Backup / Ethernet / Live)
- Multi Language OSD
- **USB (Device) port for firmware upgrade**
- **USB2.0 (Host) for back up**
- **RS485 PTZ camera control**
- Remote viewer via network



## DVRC264-8

**(8CH DVR 240/120 FPS)**



## DVRC264-16

- **H.264 Algorithm hardware compression**
- **16 CH DVR 480/240 fps recording capability**
- **VGA Output**
- Supports audio available
- Pentaplex operation (Playback / Recording / Backup / Ethernet / Live)
- Multi Language OSD
- **USB (Device) port for firmware upgrade**
- **USB2.0 (Host) for back up**
- **RS485 PTZ camera control**
- Remote viewer via network



## DVRHPEG-4

- **H.264 Algorithm hardware compression w/ DVD-R**
- Various Recording Modes Include Alarm & Motion Detection
- **VGA Output**
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**
- Plug and Play
- **PELCO-D Compatible**
- **H.264 Real Time 120/120 FPS**



**H.264 Real Time**

Remote Control



## DVRHPEG9

- **H.264 Algorithm hardware compression w/ DVD-R**
- Various Recording Modes Include Alarm & Motion Detection
- **VGA Output**
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**
- Plug and Play
- **PELCO-D Compatible**
- **H.264 Real Time 240/120 FPS**



**H.264 Real Time**

Remote Control





# Standalone **DVR** Digital Video Recorder

## DVRHPEG-16

- **H.264 Algorithm hardware compression w/ DVD-R**
- Various Recording Modes Include Alarm & Motion Detection
- **VGA Output**
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**
- Plug and Play
- **PELCO-D Compatible**
- **H.264 Real Time 480/240 FPS**



Remote Control



**H.264 Real Time**



## DVRHRT-16

- **Adopt standard H.264 format.**
- **Support max 4 x SATA HDD.**
- Network protocol: **TCP/IP, DHCP, DDNS, PPPoE**
- **Dual stream. Recording and network bit rate are adjustable respectively.**
- Backup: by **DVD-RW** and **USB2.0** flash drive
- **VGA Output**
- Utilize graphic user interface
- Support **RS485 PTZ** control
- **H.264 Real Time 240/240 FPS**



Remote Control



**H.264 Real Time**



## DVRMPEG4-4LAN

**4 Channel Network MPEG4 DVR w/ DVD-RW & VGA**

- **4 Video Input CH & Looping VGA Output**
- Various Recording Modes Include Alarm & Motion Detection
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**  
optional HDD tray (MAX 20x HDD)
- **High Resolution 720x480**
- Plug and Play
- **MPEG4 Real Time 30 fps**



Remote Control



**MPEG4 Real Time**



## DVRMPEG4-9LAN

**9 Channel Network MPEG4 DVR w/ DVD-RW & VGA**

- **16 Video Input CH & Looping VGA Output**
- Various Recording Modes Include Alarm & Motion Detection
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**  
optional HDD tray (MAX 20x HDD)
- **High Resolution 720x480**
- Plug and Play
- **MPEG4 Real Time 30 fps**
- **PELCO-D Compatible**



Remote Control



**MPEG4 Real Time**



# Linux-Based **MPEG 4** DVR

## DVRMPEG4-16LAN

**16 Channel Network MPEG4 DVR w/ DVD-RW & VGA**

- 16 Video Input CH & Looping VGA Output
- Various Recording Modes Include Alarm & Motion Detection
- Network Function through **TCP/IP** w/ Client software for **Remote Control**
- Camera control: **PTZ, Focus & Remote Control**
- Built-in IR remote Control
- **Internal (single or double) HDD**  
optional HDD tray (MAX 20x HDD)
- High Resolution 720x480
- Plug and Play
- **MPEG4 Real Time 30 fps**
- **PELCO-D** Compatible



Remote Control



**MPEG4 Real Time**

## DVR04USB-E

**MJPEG Real Time**

**4 Channel Stand-Alone DVR**

- 30 F/S real-time display and update rate
- Improved **M-JPEG** compression format
- **NTSC and PAL** system are available
- Auto-recording while motion alarm(time is adjustable)
- Automatic Rebooting in recording mode if stopping or resuming power supply
- **Date of DVR could be read and back-by USB connecting PC.**
- **Infrared remoter together with panel control function.**
- **PTZ function.**



## DVRH264-USB

**Free Support DDNS (Dynamic Domain Name Server)**

- **H.264 Algorithm** hardware compression
- 4 CH DVR 120(100) fps recording capability
- Supports audio available
- Pentaplex operation (Playback / Recording / Backup / Ethernet / Live)
- Multi Language OSD
- **IR Remote Controller**
- **USB (Device) port for firmware upgrade**
- **USB2.0 (Host) for back up**
- Operate by mouse
- **Easy PTZ camera control**
- Remote viewer via network
- **Support DDNS (Dynamic Domain Name Server)**



VGA Optional

## DVRS04-USB

## DVRS04-N

## DVR16CD-LAN

**4CH DVR MPEG WITH LAN**

**16CH DVR STANDALONE W/DVD-RW LAN**

- **Stand Alone Non-Pc Embedded System**
- 4CH Real Time 120FPS Display & 30FPS Recording
- Picture Motion Detection Recording and Search Recording by Channel
- **Alarm Input / Output**
- Remote Control
- Removable HDD (Optional)
- **USB 2.0 IDE DONGLE Backup (Optional)**
- Built-in Multi Protocol **PELCO-D** Compatible



Remote Control





# Standalone **H.264 DVR** Digital IP Video Recorder

## DVRE264-USB

- **H.264 Algorithm hardware compression**
- 4 CH DVR 120(100) fps recording capability
- Supports audio available
- Pentaplex operation (Playback / Recording / Backup / Ethernet / Live)
- Multi Language OSD
- **IR Remote Controller**
- **USB (Device) port for firmware upgrade**
- **USB2.0 (Host) for back up**
- Operate by mouse
- **RS485 PTZ camera control**
- Remote viewer via network



VGA Optional

## NC48IR

### IR IP CAM

- **D1 640x480 Resolution 30fps Max Frame Rate.**
- **Infrared Color IP Camera**  
From Anywhere in the world via the Web.
- **1 Lan / 1 Video Output**



## CDIP IP DOME CAM

- **Mpeg 4 IP Camera**
- 1/3 **SONY CCD 480 TVL**  
3.6mm Lens
- **D1 Resolution 720x570**
- **1 Lan / 1 Video Output**
- **DC12V 500mA**



## WS08 Stand Alone **IP** Video Server




- 30 fps Transmission at 720x480 via TCP/IP
- **Support D1: 720x480, 352x240 resolution w/ Audio Input**
- 32bit processor running **MPEG4** embedded Linux
- **RS-485 Alarm**
- **Audio In / Audio Out**
- 10/100 Ethernet(RJ-45) Connects Units to Internet
- **Included Recording Software w/ Motion Detection and Multiview**  
Application use w/ Multiple Units
- **DC12V 350mA**



**16 CH View/Any Camera or Video Signal over Internet**

## CD358D-IPVP **180° Vandal Proof 3.5~8mm Varifocal IP CAM**



- **MPEG 4 D1 640x480 Resolution 30fps Max Frame Rate**
- **SONY 1/3" CCD 480 TVL High Res. 3.5~8mm Varifocal Auto Iris**
- **Color IP Camera From Anywhere in the world via the Web.**




# Twisted Pair

## W600VT

Passive Transceivers w/Surge Protection 1000V max  
Twister Pair Passive Transceivers 200ft



## W01AVP




## W102

Category 5 Twisted Pair Wire- 6 zone up to 2.4 Km. Audio/Video



W102T



W102R

## VA04

4 In 4 Out Video Amplifier




## W103

Category 5 Twisted Pair Kits, Terminal Block, 2.4 Km Video Only



W103T



W103R



## VD14 VD16

1 In 4 Out Video Amplifier  
1 In 6 Out Video Amplifier




## W104V

4x BNC Jack to 1 x RJ45 Jack



Front Site



Rear Site

## VD12

Video Distributor 1 in 2 out



## W604V

• 4CH Video UTP Transceiver 4x BNC Female to Female



## W116R

• 16 Port Hub Twisted Pair Receiver 1U Rack Mount Passive






# Surge Protection & Ground Loop Isolator

**SP31**

**3 in 1 Video/Power/Data ⚡ Surge Protection**  
**Max. Discharge Current 10KA**




**SP01**

**Coaxial ⚡ Surge Protection**  
**Device BNC Connector**



**SP03**

**Lightning ⚡ Surge Protection**  
**Device N Female Connector**




**SPDC**

**SPAC**

**SP-RS485**

**Surge Protection Power DC**  
**Surge Protection Power AC**  
**Surge Protection RS485**



**TPVGA01**

**CAT5 VGA Extender**



**GL01**

**Coaxial Video Ground Loop Isolator**



**GB01**

**Ground Loop Isolator built in**  
**Video BALUN**



**W100V**

**Video Transceiver BNC Male**  
**To RJ-45 Female**



**W100VT**

**Video Transceiver BNC Male**  
**To Terminal Block**




**W100VP**

**Video Transceiver BNC Male**  
**To RJ45 Female With Power**  
**Cord**



**W600VT**

**Twister Pair Passive**  
**Transceivers**  
**200ft**



**W414V**

**4 RJ45 Female to 1 RJ45**  
**Female Cable Hub**



**W414VP**

**4 RJ45 Female to 1 RJ45**  
**Female Cable Hub With Power**



**VD102**

**CAT5 VGA1 Input to 2 Output**  
**Distributor**



**VA01A**

**1 Input to 1 Output Video &**  
**Audio Amplifier**



# Connectors

## F-RCA

F Plug to RCA Jack



## RCA-RCA-F RCA-RCA-M

RCA Female to Female RCA  
Male to Male  
Connector



## RCA-F

F Female to RCA Male



## DC-DC DC-DC-FF

DC Jack to DCJACK  
DC F to DC F



## BNC-RCA

Adapter BNC male to RCA  
Female



## BNC-RCA-1

BNC Female to RCA Male



## BNCBNC3

BNC Male to T Adapter BNC  
Female



## BNC-BNC-MM

BNC Male To BNC Male



## BNC-CRIMP

BNC Male Crimp 3 Piece  
Type

RG59



## BNC-CRIMP-2

BNC Male Crimp Two Piece  
Type

RG59



## BNC-BNC-FF

BNC Female to BNC Female



## BNC-RCA-MM


RCA Male To BNC Male



## BNC-TWIST

BNC Twist-on Type Male

RG59



## F-TWIST

F Connector Male to Twist On




## F-BNC

F Jack to BNC Plug  
Connector



## RCA-RCA-90

F Plug to BNC Female





# TFT LCD Rack Mount CCTV Monitors

## MC08RVGA-TS MC08RVGA MC17R MC17R-TS

- Rack Mountable 8" TFT/LCD Monitors : 2 Inputs (VGA & RCA) with Audio and Remote **DC 12V**



(TS:Touch Screen Monitor)

- 17" TFT/LCD Monitors : 2 Inputs (VGA & RCA) with Audio and Remote **DC 12V** (TS:Touch Screen Monitor)



**RackMount**

## MC20SL

*Perfect for monitoring store front*

### Front Door View Surveillance

- 20 inch High Resolution Flat Screen Monitor **With SDNR**
- High Res. 3.6mm Mini Camera
- Can See In Total Darkness with NO IR Required

Extension Extra Bracket



Extension Bracket



## MC07FM

High Resolution Flush Mount 7" TFT/LCD Color Monitor



## MC15A

Pure Flat CRT 15" High Resolution Monitor w/Audio 2 CH w/ S Video



## MC06TV

High Resolution 6" TFT/LCD Monitor and Color TV



## MC08

(MC8) 8" High Res. TFT/LCD Color Monitor w/Audio DC12V, Bracket included



## MB12AH

12" High Resolution B/W Monitor w/ Audio



## MB14AH

14" B/W High Resolution Monitor w/ Audio w/ DC 12V



## MC21AU

21" Color High Resolution Color Monitor w/ Audio and OSD



## MC14AU

14" High Resolution Color Monitor 450 Lines, Digital Control w/ Audio



## MC3.5H-BP

Portable 3.5 TFT/LCD Color Monitor w/ Audio. Built In Rechargeable Li-Ion Battery 12Volt 800mA/Hr. DC 12V, 800mA.



Accessories Included



## MC056S

5.6" High Res. TFT/LCD Color Monitor w/Audio DC12V, Bracket included



## MC07

Flat 7" TFT LCD Color, With Audio, with Car Adapter, Remote Control



**RackMount**

# Power Supply & Battery Packs

## 12V500MARS

Power Supply  
DC12V 500mA  
REGULATED  
(for ALL cameras)



## 12V500MAR

Power Supply DC12V 500mA  
REGULATED UL  
(for ALL cameras)



## 12V1000MA

Power Supply DC12V 1000mA  
UL ( for TFT monitors and  
Quads)



## 12V3500MARS

Power Supply DC12V 3.5 Amp  
UL Listed REGULATED  
Switching Input  
(AC 110V - 220V)



## 12V1250MARS

Power Supply DC12V 1.25 Amp UL  
Listed REGULATED Switching

(1.1 Amp)



## 12V1100MARS

## 12V1500MARS

Power Supply DC12V 1.5 Amp  
UL Listed REGULATED Switching  
Input (AC 110V - 220V)



## 12V5000MARS

Power Supply DC12V 5 Amp UL Listed  
REGULATED Switching  
Input (AC 110V - 220V) **Switchable**



1 in - 9 out EXT. DC

## 24VAC-7.2VA

120V AC Input 60Hz Output  
AC 24V 300mA 7.2VA



## 24VAC-20VA

120V AC Input 60Hz Output  
AC 24V 830mA 20VA




## 24VAC-40VA

120V AC Input 60Hz Output  
AC 24V 1.67A 40VA



## 24VAC-60VA

120V AC Input 60Hz Output  
AC 24V 2500mA 60VA



## 28VAC60VA

120V AC Input 60Hz Output AC 28V  
1.67A 60VA



## 12V PK 4.5A

Li-Ion Rechargeable Battery Pack  
Output:10.8V~12V DC 4.5AH

**Rechargeable Li-Ion Battery**  
DC12V4500mA

Li-Ion Charge 12V



## 12V PK 2.0A

12V 2.0A Li-Ion Battery Pack  
Rechargeable Battery Pack w/ DC  
CABLE (short protect)

Charge 12V





# Power Supply & Quads


## PS09DC

DC 12V 5 Amps Power  
Supply Box (9 Ports)



## PS18AC

AC Power 24 Volts 4.2 Amps Power  
Supply Box (18 Ports)



## PS18AC-200VA

High AC Power 24 Volts 8.4 Amps  
Power Supply Box (18 Ports)


**AC High Power**



## PS18DC10A

DC12V 10Amps Power Supply Box  
(18Ports)

**DC 10Amps**



## PS18DC

DC12V 5Amps Power Supply Box  
(18Ports)

**UL Approval**




## AC24H-1.2A

AC & DC24V Converter to DC 12V  
1.2A High Power Output




**AC to DC  
Converter 1.5A**



## TB01

9 Terminal DC & AC  
Connectors



## MP41

16CH Duplex Color Multiplexer  
Real Time



## AC24H

AC & DC24V Converter  
to DC 12V

**800mA High Power Output**



## QC43-E

Dual Quad Color Real Time,  
VCR Playback/Freeze, Zoom,  
OSD, Alarm



## QC41-D

High Resolution Real  
Time Quad Color



## QC-41-F

High Resolution Real  
Time Quad



# Housing

## AHWP

Outdoor Aluminum / Beige W/ Wiper 147(W)X135(H)X410/470(D)mm



## AH75WP

Wiper Housing

## AH75SW

Pat/tilt unit

## B075

Bracket



## AH21

Outdoor Aluminum Silver Housing




## AH21-HB-24V

Outdoor Aluminum Silver Housing w/ Heater and Blower **24V AC**



## AH25

Outdoor White Housing Flip Open Type




## AH25S

Outdoor White Housing Flip Open Type MINI Size




## AH25-H-24V

Outdoor White Housing Flip Open Type w/ Heater **24V AC**



## AH25-HB-24V

Outdoor White Housing Flip Open Type w/ Heater and Blower **24V AC**



## AH26

Outdoor White Housing Slide Open Type




## AH26-HB-24V

Outdoor White Housing Slid Open Type w/ Built In Heater and Blower



## IL95 **Dual Glass**

Infrared Illumination 90 Ft.  
60 IR LED for Outdoor/Indoor Housing





# Cameras Brackets

## B008-J

J Bracket 15KG  
(35 LBS)



## BSD-RM

High Speed Dome Arm  
for Outdoor



\*Dome is not included

## B007

Wall & Ceiling Mounting  
Bracket Silver  
3 LBS



## BOMC

**New**

TFT/LCD Monitor Wall /  
Ceiling Mounting  
Bracket 22LBS With  
3"x3" & 4"x4"

Universal VESA



## BOMW

**New**

TFT/LCD Monitor Wall  
/ Ceiling Mounting  
Bracket 22LBS

Universal VESA



## B01

Wall & Ceiling  
Mounting Brackets

6KG(13 LBS)



## B02

Wall & Ceiling Mounting  
J Brackets

6KG(13 LBS)



## B006S


Mounting Bracket For  
Housing(Long Arm)

Silver



## B010

Mounting Bracket 10kg,  
for Housing (Short Arm)



## SCPK4

**New**

Assembly for Hollow  
Walls/Dry wall/Plaster



## VMP046

TV or Monitor Stands  
Max. 32 inch



## B040

- Wide Base for  
Cameras & Monitors
- 4" Base Diameter
- Swivel 360° TFT 180°
- Max. Load 3Kg



## B041L

- Small Base for Drop  
Ceiling Mounting
- 65mm Base Diameter
- Swivel 360° Tilt 180°
- Max. Load 3Kg



## B041

- Medium Base for IR  
Bullet Cameras
- 2.5" Base Diameter
- Swivel 360° Tilt 180°
- Max. Load 3Kg



## B011

ABS Plastic Mounting  
Bracket w/ Electric Shock  
Isolator



## B002L

Mounting Bracket  
5KG Plastic Large



## B009

Mounting Bracket  
5KG Aluminum Beige



## B009-T

Wall Mounting  
Bracket



## B004

Mounting Bracket  
Beige Short



## B006

Mounting Bracket  
For Housing(Long  
Arm)



# Audio Cable & Accessories

## BA07


Audio Pick Up  
Box Size: 41x25x19mm

MIC Built-In



## BA08

All in One AUDIO cable,  
with amplifier



## BA09

All in One AUDIO cable,  
with amplifier



MIC Built-In

## DANCING STAND


For Display Motorized  
AC110V



## BA10

All in One AUDIO cable,  
with amplifier

MIC Built-In



## AD02

Analog (RCA) to Digital  
USB1.1 Video Adapter with  
Capture Software



## APC-BE500R

Battery Backup Plus  
Surge Protection



UPS

## AD01

Analog (RCA) to Digital (VGA)  
Converter for PC (displays  
Analog image on PC)



## ADUSB20

Analog (RCA) to Digital USB2.0  
Video Adapter with Capture  
Software



Disk

## TV10

Video Extender 4 Video In/ 4  
Video out



## RS232-485E

Economical RS-232 to  
RS-485 Converter



## TV04SE

4 CH Matrix  
Switcher w/ Audio  
Stereo (W004S)



## TV08SE

8 CH Matrix  
Switcher w/ Audio  
Stereo (W008S)



## TV108D

1 Video Input to 8 Video  
Distributor



## TV06S

Digital Channel Modulator  
for Ch. 14-69



## LA05

"CCTV in  
Operation"  
Warning Sign  
Size-12"x18"



## LA06

"CCTV in  
Operation"  
Warning Sign  
Size-11"x9"



## LA07

"NOTICE-Surveillance  
Cameras on Duty" Sticker  
Size-7"x6"






# Cable And Extensions

## W001A W001A-150 (150 ft.)

66 ft./20M  
RCA dual  
Cable (male  
male) and DC  
(male female)  
ALL IN ONE  
CABLE (Black  
& White )



## W001ABNC

66 ft BNC (male male), RCA  
(male male) and DC (male  
female) ALL IN ONE CABLE  
(Black)




## EXT3 STACKABLE

3 Outlet Extension AC Cord



## DCCORD-F

DC female W/ screw terminal



## RCA-ST

2 RCA Female to 1  
Stereo Jack



## DCCORDCRIMP

Dc Cord w/ DC Connector



## DCPLUG

DC 2.1\*5.5mm  
to screw  
terminal



## WDC

1000ft. DC or AC Power  
Cable



## WBNC4-3/6

4BNC Male to 4BNC Male 1.5FT  
,3FT and 50FT




## W006

66 ft./20M Extension 6pin din  
male/female Cable




## W003A

Cable converter for W001/  
W002 to BNC, Audio and DC  
Jack



## DCCORD

DC Cord with plug (2.1\*5.5mm)  
and screw terminal



## DCEXTSM

DC Male to DC Male  
Extension 3 inch.




## DCEXT33/100

33 Ft./100 Ft. DC Extension  
Cable Plug/Jack for Power  
Supply



## WRG59DC485

RG 59/U + DC + Data485  
1000 ft (white or black)  
Available 500Feet




## DCJ-PP

DC Splitter 1 Female  
(Plugs) to 2 Male (Jack)



## DCP-JJ

DC Splitter 1 Male (Jack) to  
2 Female (Plugs)



## WRG59DC

Siamese Cable CCTV  
COMBO RG 59/U + 2/18  
CL2 Blk. 1000 ft (white  
or black) Available 500Feet



## WRG59

Coaxial Cable 1000 ft  
spool RG59



# Bazooka Remote Control CCD Camera

## CM200

### 20X Optical Zoom Weatherproof Color Bullet Camera

- 1/3" CCD Color Camera
- 520 TVL / 0.1 Lux High Resolution
- Remote Control
- Motorized Zoom 10~200mm
- Build in Li-Ion Rechargeable Battery DC 12V 4Ah
- Charger DC12V 1Amp



**Remote Control  
(Zoom // Focus // Iris)**

**Build in Li-Ion 12V 4Ah  
Rechargeable Battery pack**



## CM60RC



### 12X Optical Zoom Weatherproof Color Bullet Camera

- 1/3" CCD Color Camera
- High Resolution
- 480 TVL / 0.1 Lux
- Remote Control Zoom / Focus
- Motorized Zoom 5~60mm
- 12 VDC 350 mA



## L5000M

### Telescope Lens 5m~50km

**MC07  
Monitor Optional**



**CG35-SL**

- 1/3" **SONY CCD**
- High Resolution
- 520TVL 0.001LUX



**BODC01**



**Bracket For Digital CAM  
V8/D8, Regular Camera &  
Telescope.**

**B056TR**

**3 Section Aluminum  
Tripod Bracket/Stand for  
Telescope lens**

**Tripod(Optional)**

**LC09**

**C/CS Adapter**



**LC10**

**Mini Camera Lens**






# High Visibility Strobe Light Camera

## STR25

- **SONY** 1/3 CCD High Resolution Camera
- 480TVL
- High Visibility 120 LED
- Motion Sensor Strobe Buzzer
- Remote Control
- **AC24 V 800mA 20VA**

## 1Mile Visibility



# 200X Magnifying Camera

## MS200

## Microscope 200X

- \*200X Super Magnifying Zoom
- \*480 TV Lines.
- \*0 Lux.
- \*Sony DSP Chipset.



# Professional Long Range IR Specialized Camera

## CD41-VPW

**360° View  
Dome Camera**

**New**

**Panoramic 360° View Vandal Proof Dome Camera**

- 4 Panoramic Multi Camera
- 4 **SONY** 1/3" CCD High Resolution 480TVL 0.1Lux
- **Vandal Proof Dome**
- Crystal Clear Images
- 75° Swivel Cam Adjustment for Optimal View
- **Cover 360° Area Surveillance**
- 4 Video & 1 Audio Output
- **DC 12V 600mA**



Powered by  
**SONY**  
CCD

## CM259VAIR-SL

**Super DNR Digital  
Noise Reduction**

- **SONY** 1/3" CCD High Resolution
- Built-in 2.5-9mm IR Lens
- **520 TV line** (Enhanced 580 TV line)
- **0.001 Lux**, Slow Shutter (SenseUP 32X)
- Super (**SDNR**) Digital Noise Reduction
- 36 Pcs High Intensity LED's
- IP66 Weather Proof Housing
- **Non Polarity Power Input**
- **Dual Power:**  
**AC24V & DC12V 550mA**

Powered by  
**SONY**  
CCD

**New**



**20~200 FEET**

SDNR

other brand

## CLR16IR-SL

**Super DNR Digital  
Noise Reduction**

- 1/3" **SONY** CCD 560TVL 0.001LUX
- High Resolution
- Weatherproof
- 16X Optical Zoom
- **6~96mm Motorized Lens**
- 116 High Power Intensity LED
- **DC12V 1.2A**

**New**

Powered by  
**SONY**  
CCD

**20~400 FEET**



## CLR36IRWEX

**Ex-View Wide Dynamic**

- 1/3" **SONY** CCD 560TVL 0LUX (IR ON)
- **Heater Blower** Outdoor Camera w/ Housing
- 324 High Intensity LED's
- **Day & Night (ICR) IR Cut**
- 3.4~122.4mm Auto Focus
- RS-485: Pelco P 9600 bps Compatible
- **DC 12V 800mA**

**New**

Powered by  
**SONY**  
CCD



With SDNR Without SDNR

**20~400 FEET**

## CMR35-SL

**Mirror Covert  
Dome Camera**

- 1/3 **SONY** CCD **HIGH RESOLUTION**
- **480TVL 0.001LUX**
- Wall Ceiling Mountable
- **3.6mm Lens**
- **DC 12V/200mA**

**Super DNR Digital  
Noise Reduction**

Powered by  
**SONY**  
CCD



## MC3.5H-BP

**Testing Monitor**

- **Portable 3.5 TFT/LCD High Resolution**
- **Color Monitor/w Audio.**
- **Built In Li-Ion Rechargeable**
- **Battery Pack 12Volt 800mA/Hr.**
- **DC 12V, 800mA.**

**New**



Accessories Included

